WAHIZ VETERINARY SURGICAL INSTRUMENTS



+92-311-6194103 www.hnanavet.com

info@hnanavet.com

MANUFACTURER OF AGREED QUALITY INSTRUMENTS

ABOUT

US

Whiz International have been successfully working in Equestrian products ,stock breeding, animal identification and veterinary instruments sectors with Wide range of Manufacturing Units.

Whiz International produly decelares that it passess experience of Four decades in Manufacturing & supplying high international standards products relating to sectors.

We established ourselves according to needs of our clients and our Clients always found us one step ahead in adoption of modern and up to date Technologies.

We are determined to maintain high morale in our set up to produce world standard Equestrian

Products in coming years.As a result we own the following core competences, which has allowed us more than 40 years

success in the markets and enabled us to make the difference to you as our

We have been certified according to the international guidelines (ISO 9001 2008)

We are trying to fulfill this seal of quality in everything we are doing. Our ISOcertification is one of our proof for the expectation of quality

MISSION STATEMENT

Our mission is to save businesses time and money by providing good quality financial products and services that are efficient and easy to use

WAHIZ INTERNATIONAL

HEAD OFFICE:SMALL INUSTRIAL ESTATE NO-1 GUJRANWALA 52250 PAKISTAN

MFG UNIT

IRSHAD TOWN SIALKOT ROAD PASRUR BY- PASS DASKA SIALKOT 51010 PAKISTAN

hnanavet@gmail.com info@hnanavet.com © +923177199280

www.hnanavet.com



CALVING INSTRUMENTS

STAINLESS STEEL OB CHAIN

HARMS OBSTETRIC CHAIN, WITH SINGLE HOOK

CALF PULLER, RATCHET-STYLE HEEP PROLAPSE EWESPOON

OBSTERTAG'S SHARP EYE HOOK

OBSTETRIC CHAIN AND OBSTETRICAL HOOK FOR COW

OBSTETRIC CHAIN WITH TWO HANDLES

SAW WIRE HANDLE

SUTURE STYLE OB HANDLE SIZE 4"

OB HANDLE 5" WIDE X 5.5" LONG

OB KREY HOOK

MIDWIFERY FORCEPS

OBSTETRIC FORCEPS DOUBLE EYE HOOK

OSTERTAG'S BLUNT EYE HOOK

VAGINAL SPECULUM FOR SHEEP

BOVINE CERVICAL FORCEPS

POLANSKY VAGINAL SPECULUM WITH 3 BLADES

KILLIAN VAGINAL SPECULUM FOR DOGS

CALF SNARE

LINDSE'S EMBRYOTOMYE KNIFE

LYSS OB WIRE HANDLE

OB CHAIN HANDLE PRODUCTS

PIG OBSTETRICAL FORCEPS

VETERINARY SUTURE NEEDLE CASTRATION HOOK FOR CATS

T-BAR OB CHAIN HANDLE

BUHNER SUTURE NEEDLE, STAINLESS STEEL

OBSTETRIC HOOK FOR BOVIVET CALVING BELT

CALVING ROPE

OBSTETRIC HOOK, S/S 54 CM

(WI-837) NOSE LEAD COTTON

TEAT INSTRUMENTS

UDDER INFUSION CANNULA

MILKING TUBE

TEAT TUMOR EXTRACTOR TEAT SLITTER

HUGS TEAT TUMOR EXTRACTOR MILK CATHETER

TEAT DILATOR SCREW ACTION MILK TUBE ADJUSTABLE

TEAT KNIFE

STOMACH PUMP

TEAT KIT

COW IMMOBILIZER / ANTI KICK BAR

SPRING CLIP FOR COW IMMOBILIZER

OVAL LINK

RUBBER CAP FOR COW IMMOBILIZER

TENDON CLAMP

COW TAIL CLAMP MEAT HOOK_

O RING

D RING

CASTRATION INSTRUMENTS

BAND CASTRATOR ALUMINUM LARGE

BAND CASTRATOR - BLUE

BAND CASTRATOR STANDARD

CASTRATING KNIFE

HETZEL EMASCULATOR

LASZELO EMASCULATOR

BLOODLESSCASTRATION FORCEPS BURDIZZO

CASTRATION INSTRUMENTS

KNEE BRACE FOR LARGER MODES

CASTRATION CLUMP & TAIL CUTTER

CASTRATION KNIFE FOLDING

BLOODLESS CASTRATOR FOR LAMBS

HAUSMAN STANDARD EMASCULATOR SEERA EMASCULATOR CASTRATION PLIER

REIMER EMASCULATOR PLIER

WHITE'S MODIFIED DOUBLE CUSH EMASCULATOR

NEWBERRY CASTRATING KNIFE

HAND YARD SCRAPERS

HOOF CARE INSTRUMENTS

FOOTROT SHEAR BLUE VERSION

FOOT ROT SHEAR HEAVY DUTY GREEN COLOR

COMPOUND ACTION HOOF TRIMMER 42CM

HEAVY DUTY SMOOTH SHEAR

HOOF & CLAW CUTTER 60CM

MULTI JOINT HOOF CUTTER GREEN PAINTED PIPE HANDLE

PROFESSIONAL FOOT ROT ALLUMINIUM VERSION

LIGHT WEIGHT PLASTIC HANDLE VERSIO

PIG TAIL, NAIL CLIPPER

PIG TOOTH NIPPER

06

7-8

9

11

12

12

13

HOOF CARE INSTRUMENTS

VANTAGE DOG NAIL SCISSOR13CM

DROP FORGED HEAVY DUTY PIG&DOG NAIL DOG NAIL

GUILLOTINE ACTION S/S

HEAVT DUTY HOOF SHEAR FELCO TYPE FOOT ROT SHEAR LIGHT WEIGHT MULTI COLOR

FOOT ROT SHEAR HEAVY DUTY BLUE COATED

STOMACH TUBE

OB WIRE GUIDE

HOOF TRIMMERE

NATURAL LICKING SALT WITH ROP

CATTLE BULL INSTRUMENTS

COPPER PIG NOSE CLIPS

PIG NOSE RING APPLICATOR

PIG NOSE CLIPS APPLICATOR METAL

PIG WIRE RINGS S/S

BULL NOSE PUNCH PLIER

BULL RING FORCEPS 14" HEAVY DUTY

BULL NOSE RING BRASS WITH L KEY

BULL RING SELF PIERCING ALUMINUM

BULL NOSE RING BRASS

BULL NOSE RING COPPER

BULL RING STEEL MATERIAL SCREW FOR NOSE RINGS

CATTLE BULL INSTRUMENTS

AUTOMATIC BULL LEAD

HEAVY DUTY COIL SPRING BULL HOLDER

HARMS BULL HOLDER STAINLESS STEEL

BULL HOLDER WITH ROPE

BULL LEAD WITH CHAIN

BULL HOLDER - LONG HANDLE C/S BULL HOLDER - LONG HANDLE S/S

SPRING BULL LEAD

CATTLE TWITCH

BULL LEAD, WITHOUT CHAIN

EQUIVET NOSE TWITCH

BULL HOLDER

TROCARS/CALF WEANERS

BOLUS APPLICATORS, BALLINGS GUNS

TROCAR AND CANULA WOODEN HANDLE

TROCAR AND CANULA PLASTIC, WOOD HANDLE TROCAR AND CANULA METAL HANDLE

SPARE CANULA METAL HANDLE

NYLON CALF WEANERS SMALL, MEDIUM, LARGE

CROWN WEANING RING

ALUMINIUM CALF WEANER

CATTLE WEANER C/S

BOLUS APPLICATOR LARGE

MULTI BOLUS GUNS 17 1/2" **BOLUS APPLICATOR WITH MULTI HEAD**

RUMINAL MAGNET BALLING GUN FOR CATTLE

BALLING GUN PLASTIC HEADS

FARMERS BALLING GUN METAL HEADS

BALLING GUN WITH RUBBER MOUTH PIECE

PLASTIC BOVINE BALLING GUN RED COBALT BALLING GUN FOR SHEEP

DRENCHERS/SYRINGES, CUTIMETRO

REVOLVER SYRINGES

ORAL DRENCHER METAL AUTOMATIC

ORAL DRENCHERS.20ML 400ML SYRINGE-DRENCHER MANUAL

MANUAL METAL VACCINE SYRINGE NYLON SYRINGE LUER & RECORD 10,20,30,50ML

KIT WITH SYRINGES ,NOZZLES LUER LOCK END **CLOCK TYPE CUTIMETRO FOR TUBERCULIN TEST**

22

21

17

18

19

20



PRODUCT INDEX

SHEEP & GOAT GENERAL PRODUCTS

ALUMINUM LEG CROOK ONLY HEAD SHEPHERDS CROOK LEG SHEPHERDS CROOK NECK

SHEPHEDS CROOK STICK, (DIPPING TRIPLET CROOK STICK

SIPPING STICK S SHAPE NICKLE PLATED

SIPPING STICK M SHAPE NICKLE PLATED ALUMINIUM SHEPHERDS CROOK WITH LONG NECK

METAL LEG CROOK ONLY HEAD

STETHO SCOPES

ANIMALE TAPE MEASURE

EAR TAG APPLICATOR COW TAG APPLICATOR FAR TAG APPLICATOR FOR SHEEPS EAR TAG YELLOW, RED, BLUE SHEEP SHAR DOUBLE BOW SHEEP SHEAR SINGLE BOW SHEEP SHEAR SINGLE BOW SMALL SHEEP SHEAR SINGLE BOW ANGLED SHEEP SHEAR DOUBLE BOW

24

TATTOO PRODUCTS

TATTOO DIGITS PLASTIC SMALL TATTOO PLIER STANDARD TATTOO PLIER TATTOOING HAMMER S/S BODY ROTARY TATTOO PLIER ALLUMINIUM BODY HIGH QUALITY TATTOO PLIEFR 2 ROW HIGH QUALITY TATTOO PLIEFR SINGLE ROW BRASS NUMBER SET FOR TATTOO HAMMER

25

EAR NOTCHERS, BRANDING DIGITS

CLOVERLEAF SHAPE EAR NOTCHER U SHAPE EAR NOTCHER V SHAPE EAR NOTCHER V SHAPE ALUMINUM KEYHOLE SHAPE SQUARE SHAPE EAR NOTCHER PUNCH SHAPE EAR NOTCHER EAR NOTCHER TRIANGULAR NOTCHER BRANDING SET COPPER, ALLUMINIUM 0-9

26

BARNES DEHORNERS/CATTLE CRUSH TOOLS

BARNES DEHORNER WOOD HANDLE BARNES-STYLE DEHORNER STEEL HANDLES BARNES DEHORNER W/CURVED HANDLES OB WIRE HANDLE PAIR CONVEX JUNIOR DEHORNER DEHORNER COPPER FIRE VERSION GIGLI SAW WIRE **QUICK RELEASE CATCH** FRONT LEG LIFT SAFETY HOOK SHEKEL SWIVEL CLIP **CLAW SPLITTER** G TYPE HOOK

CATTLE BANDAGE REMOVER 24"30",48",60"

27

28

PIG HOLDERS

PIG HOLDER LARGE REGULAR WITH LOCK PIG HOLDER SELF LOCKING HOG CATCHERS MINI HOG/PIG CATCHER LARGE SELF LOCKING PIG HOLDER ALUMINUM WIRE PIG HOLDER EAR TAG PLIER STOMACH TUBE TALLY COUNTER HEY NET 120CM LONG (NYLON ROPE) CATTLE PANEL

HOOF RASPS, HAMMERS

HOOF CLEANER HEAVY WOOD HANDLE (STAINLESS STEEL) HOOF CLUNCH CUTTER HEAVY (STAINLESS STEEL) HOOF RASP BOTH SIDE TEETH & FILE (STAINLESS STEEL) HOOF RASP S-SHAPE BOTH SIDE RASP (STAINLESS STEEL) HOOF SCRAPPER HIGH TEMPERED (STAINLESS STEEL) DRIVING NAIL HAMMER WOOD HANDLE (STAINLESS STEEL) ROUNDING HAMMER WOOD HANDLE (STAINLESS STEEL) SHOE HAMMER 2-SIDE RED WOOD HANDLE (1045 STEEL) HORSE HOOF GAUGE LEVELER (BRASS)

GROOMING PRODUCTS

METAL CURRY COMB, THICK TEETH, PLASTIC HANDLE (CS/POWDER COATED) METAL CURRY COMB, THIN TEETH, PLASTIC HANDLE

(CS/POWDER COATED) METAL CURRY COMB WITH MANE, PLASTIC HANDLE

(CS/POWDER COATED)

HAIR CLIPPER WHITE WOOD HANDLE (CS/CHROME PLATED) HAIR CLIPPER ONE HAND USE (CS/CHROME PLATED)

ONE HAND HAIR CLIPPER COMB ROUGH (STAINLESS STEEL)

ALUMINUM COMB (ALUMINUM)

THINNING SCISSOR DOUBLE SIDE TEETH (STAINLESS STE FETLOCK SCISSOR CURVED BLADE (STAINLESS STEEL) SCOTCH CURLING COMB, DOUBLE SIDE TEETH (CS/CHROME PLATED)

STRIPPING COMB FOLDING WOOD HANDLE (STAINLESS STEEL)

MANE + TAIL TRIM KIT WITH LEATHER CASE (STAINLESS STEEL)

HOOF KNIVES/KITS/APRONS

HOOF KNIFE WIDE HALF DOUBLE BLADE, WHITE WOOD HANDLE HOOF KNIFE WIDE FULL DOUBLE BLADE. WHITE WOOD HANDLE HOOF KNIFE NARROW DOUBLE SIDE BLADE, WHITE WOOD HANDLE HOOF KNIFE NARROW BLADE, BLACK WOOD HANDL HOOF KNIFE ECONOMY BLADE, WHITE WOOD HANDLE HOOF KNIFE WIDE BLADE, WHITE WOOD HANDLE HOOF KNIFE WIDE HALF DOUBLE BLADE ECONOMY HOOF KNIFE NARROW HALF DOUBLE BLADE ECONOMY BOT EGG KNIFE ECONOMY_(STAINLESS STEEL) CLAW KNIFE STRONG WOOD HANDLE HOOF KNIFE L-SHAPE LONG WOOD HANDLE HOOF KNIFE STRAIGHT FULL DOUBLE EDGE WOOD HANDLE PROFESSIONAL DROP BLADE HOOF KNIFE REGULAR WOOD HANDLEL) MEDIUM LOOP ABSCESS KNIFE 15MM WOOD HANDLE (JAPANESE LOOP KNIFE ECONOMY WOOD HANDLE (STAINLESS STEEL) DUAL LOOP SMALL & LARGE KNIFE WOOD HANDLE HOOF KNIFE EXTRA NARROW BLADE ECONOMY PLASTIC HANDLE HORSEMAN KNIFE 2 BLADE FOLDING (STAINLESS STEEL) HORSEMAN KNIFE 5 BLADE FOLDING COLOR HANDLE HOOF KNIFE HOOK + KNIFE FOLDING (STAINLESS STEEL) STRIPPING COMB FOLDING KNIFE + COMB (STAINLESS STEEL) HOOF KNIFE SET IN POUCH (STAINLESS STEEL)

HOOF TESTERS

FARRIER APRON HEAVY W/POCKETS (SUEDE LEATHER)

SHEATH WITH BELT HANGING (LEATHER). COBRA TOOL BOX RACK (CS/POWDER COATED)

FARRIERS KIT MADE OF CANVAS (CUSTOMIZED TOOLS SELECTION)

LARGE HOOF TESTER GE MODEL(DROP FORGED S/S ROUND HOOF TESTER (DROP FORGED S/S) HOOF TESTER ADJUSTABLE (DROP FORGED S/S) HOOF TESTER FLAT MODEL (DROP FORGED S/S) HOOF TESTER ROUND MODEL (DROP FORGED S/S) LARGE HOOF TESTER ROUND MODEL (DROP FORGED S/S). HOOF CALIPER FOR SENSITIVITY TESTING - AUTO-STATIC (AMERICAN) LARGE HOOF TESTER FLAT MODEL 5" JAW (DROP FORGED HOOF DIVIDER (STAINLESS STEEL)

HALTERS/HOBBLES/ROPES

HALTER HEAVY DUTY **CATTLE HOBBLES NYLON** CATTLE HOBBLE LEATHER NYLON HOBBLE WITH CHAIN COTTON ROPE WITH SNAP ECONOMY NYLON FLAT ROPE WITH SNAP WIRE PIG HOLDER EAR TAG PLIER

36

29

HOOF NIPPERS, PULL OFFS, HOOF PICKS

HOOF NIPPER SMALL 12" (DROP FORGED STEEL) HOOF NIPPER GE-MODEL15" (DROP FORGED STEEL) HOOF NIPPER SMALL 14" (DROP FORGED STEEL) HOOF NIPPER HALF MOON ROUND (DROP FORGED STEEL) HOOF NIPPER WITH ASSISTED OPENER SHOE PULL OFF DIAMOND MODEL FLAT HEAD (DROP FORGED HOOF & CLAW NIPPER (DROP FORGED STEEL)

SHOE SPREADER CURVED HANDLE (DROP FORGED) HOT SHOE TONGS (DROP FORGED 1045 STEEL) FIRE TONGS 15-1/2" (Drop Forged Steel)

HORSE NAIL CLINCHER WITH SOFT GRIP (DROP FORGED.) CLINCH DOUBLE END HIGH TEMPERED (DROP FORGED)

HOOF CLEANER WITH RUBBER GRIP (CS/NICKEL PLATED)



PRODUCT INDEX

EQUINE DENTAL PRODUCTS

TOOTH EXTRACTING FORCEPS (STAINLESS STEEL)

TOOTH FORCEPS (STAINLESS STEEL)

3-PRONG ROOT MOLAR FORCEPS ONSIDE (STAINLESS

3-PRONG ROOT MOLAR FORCEPS OFFSIDE (STAINLESS STEEL)

TOOTH SPREADER FORCEPS (STAINLESS STEEL)

TOOTH FORCEPS HEWSON STYLE (STAINLESS STEEL) RAINHARD TOOTH FORCEPS (STAINLESS STEEL)

4-PRONG ROOT MOLAR FORCEPS (STAINLESS STEEL) TOOTH FORCEPS CURVED HANDLE (STAINLESS STEEL)

REINFORCED FINE NOZZLE FOR EQUINE DENTAL FRAGMENTS - 5.0CM

SIDE GRIP PREMOLAR AND MOLAR DRILL BIT

DELICATE LONG MOUTHPIECE FOR WOLF TOOTH

TOOTH RASP CURVED STRONS ALBERT-PATTERN (S/S)

DENTAL FLOAT CURVED REPLACEMENT BLADE (CS/NP) TOOTH RASP FIXED HEAD (STAINLESS STEEL)

TOOTH RASP STRAIGHT STRONG (STAINLESS STEEL)

UNIVERSAL DENTAL FLOAT CHANGEABLE BLADE SET OF 3 (CS/NP)

REPLACEMENT BLADE FOR DENTAL FLOAT (CS)

BAYER MOUTH WEDGE FOR HORSE & CATTLE (S/S).

SCHOUPE 2-1/3" DISTANCE (STAINLESS STEEL)

DENTAL MIRROR 50MM DIA 250 ANGLE

DENTAL ELEVATOR ALUMINUM HANDLE (STAINLESS STEEL)

EQUINE DENTAL PICK

HOLBORN MOUTH GAG FOR HORSE WITH STRONG LEATHER 44-48

STRAP (DROP FORGED SS)

MEISTER MOUTH GAG FOR HORSE WITH STRONG LEATHER

STRAP (SIMPLE CASTING SS)

MOUTH GAG FOR HORSE WITH STRONG LEATHER STRAP

(DROP FORGED SS)

SPARE PLATES, (2) FOR MOUTH SPECULUM FOR PONIES

SPARE PLATES, (2) LEATHER COVERED, FOR MOUTH

SPECULUM

BIOTHANE STRAPS FOR CLIMAX SPECULUM PONY

SPREADER FOR SPECULUM

GÜNTER MOUTH GAG

RODENT MOUTH GAG

TOOTH EXTRACTOR, SET FOR HORSES

TOOTH EXTRACTOR, SET FOR HORSES

PERIODONTAL INSTRUMENTS KIT STAINLESS STEEL,

DENTAL, EQUINE

MOUTH GAGS SCHULZE

CANINE MOUTH GAG SMAAL, MEDIUM, LARGE

EAR CLAMP

DENTALTOOTH EXTRACTORS/SCALERS

WORKING GLOVE COTTON CUFF (SPLIT LEATHER)

WORKING GLOVE RUBBER CUFF (SPLIT LEATHER)

WORKING GLOVE RUBBER CUFF (SPLIT LEATHER)

HEAVY DUTY DOUBLE PALM GLOVES

LEATHER WELDING GLOVES

INDUSTRIAL LEATHER WELDING GLOVES

HEAT RESISTANT OVEN MITT LEATHER

HAND YARD SCRAPER

GALVANISED YAR SCRAPER WINGED WITH REINFORCE TOP

BROOM HOLDER

GALVANISED YARD SCRAPER CURVED WITH REINFORCE

TOP BROOM HOLDER

GALVANISED YARD SCRAPER STRAIGHT WITH REINFORCE

TOP BROOM HOLDER

STRAIGHT SOUEEGEE YARD SCRAPER

(SPARE RUBBER FOR ALL TYPES/SIZES SCRAPERS

TREVES TISSUE FORCEPS, 1X2 TEETH

TISSUE FORCEPS

GELPI VAGINAL RETRACTORS

WOUND RETRACTOR

KOCHER RETRACTOR

DOUBLE-END PROBE, SCALPEL W/FIXED HANDLE

SCALPEL HANDLES, BILLEAU EAR LOOPS DELICATE

(BONE RONGEUR, POST MORTEM HAMMERS, SPINE WRENCHES

INSTRUMENTS TRAYS

SADDLERY HARDWARE

DOUBLE CEE RING (STAINLESS STEEL)

BUCKLE FOR SADDLE (STAINLESS STEEL)

DEE RING (BRASS)

41

TACK WALL RACK WITH SWIVEL (CS/POWDER COATED)

RIGGING PLATE (BRASS)

C RING (STAINLESS STEEL)

OVAL DEE RING LITTLE BELV 4-HOLES (STAINLESS STEEL)

51

53

BUCKLE FOR SADDLES (STAINLESS STEEL)

FLAT DEE RING LITTLE ROUND EDGE (STAINLESS STEEL)

ROLLER BUCKEL WITH TONGUES (STAINLESS STEEL)

BUCKEL WITH TONGUES

(BRASS), (BRASS)

BLEV BUCKLE WITH TONGUE (STAINLESS STEEL)

BREAST COLLAR BUCKLE WITH LONG PLATE (BRASS)

SADDLE WALL MOUNT RACK (CS/POWDER COATED)

DEE RING DEEP BEVELED (S/S)

ROLLER BUCKLE FLAT SINGLE TUNG (SWEET IRON) SET OF 2

STRAP BUCKLE LITTLE CURVED (STAINLESS STEEL)

HALF MOON KNIFE WOOD HANDLE WITH LEATHER COVER

(STAINLESS STEEL)

FALL DOWN PIN STAPLE - NICKEL PLATE

ADJUSTABLE STIRRUP BARS (STAINLESS STEEL)

FLAT DIE CAST TRI GLIDE NICKEL PLATED

D SHACKLE STAINLESS STEEL

HEAVY DIE CAST DOUBLE EYE SWIVEL

QUICK LINKSSTAINLESS STEEL

CURB CHAINS WITHOUT HOOKS

DEE RING DEEP (STAINLESS STEEL)

GENERAL SURGICAL INSTRUMENTS

HALSTED MOSQUITO CURVED TEETH 1X2

HALSTED MOSQUITO STRAUGHT TEETH)

DE BAKEY-MOSQUITO FORCEPS, CURVED

DE BAKEY-MOSQUITO FORCEPS, STRAIGHT

MICRO MOSQUITO ARTERY FORCEPS, CURVED

MICRO MOSQUITO ARTERY FORCEPS, STRAIGHT KELLY ARTERY FORCEPS CURVES

KELLY ARTERY FORCEPS STRAIGHT

PEAN DRESSING FORCEPS, CURVED

PEAN DRESSING FORCEPS, STRAIGHT

ROCHESTER ARTERY FORCEPS, CURVED TEETH 1X2 ROCHESTER ARTERY FORCEPS, STRAIGHT TEETH 1X2

ROCHESTER PEAN ARTERY FORCEPS, CURVED

ROCHESTER PEAN ARTERY FORCEPS, STRAIGHT CRILE ARTERY FORCEPS, CURVED

CRILE ARTERY FORCEPS, CURVED TEETH 1X2

CRILE ARTERY FORCEPS, STRAIGHT

ALLIS BABY TISSUE /ORGAN HOLDING FORCEPS ALLIS BABY TISSUE AND ORGAN HOLDING FORCEPS

SUPERCUT OLSEN-HEGAR NEEDLE HOLDER

SUPERCUT OLSEN-HEGAR NEEDLE HOLDER GOLD VERSION

MAYO HEGAR NEEDLE HOLDER TUNGSTEN CARBIDE

MATHIEU NEEDLE HOLDER

GOLD MATHIEU NEEDLE HOLDER

NEEDLE HOLDER, DIAMOND DUST-COATED JAWS MICRO NEEDLE HOLDER CURVED, WITH LOCK,

FEATHERLIGHT

TC GOLD CASTROVIEJO NEEDLE HOLDER WITH LOCK

DERF NEEDLE HOLDER

BONE SCISSORS, 23 CM

SPENCERWELLS ARTERY FORCEPS STRAIGHT SPONGE FORCEPS

ONES CROSS ACTION TOWEL CLAMPS 3 1/2"

RECTAL BIOPSY FORCEPS HARTMAN ALLIGATOR EAR SERRATED FORCEPS

ATRAUMA INTESTINAL AND STOMACH FORCEPS

POST MORTEM SCISSOR

ENTEROTOMY POST MORTEM SCISSORS BLUNT/PROBE

LISTER BANDAGE SCISSORS

NURSING SCISSORS SHARP/PROBE FINE OPERATING SCISSORS

UNIVERSAL BANDAGE SCISSORS

STANDARD OPERATING SCISSORS SUTURE SCISSORS, CURVED

METZENBAUM SCISSORS ADSON-BROWN TISSUE AND GRASPING FORCEPS

IRIS FORCEPS

STANDARD DRESSING FORCEPS

STANDARD TISSUE FORCEPS, 1X2 TEETH TC GOLD ADSON DISSECTING FORCEPS TUNGSTEN CARBIDE

VETERINARY SURGICAL KITS OTOSCOPE KITS

LARYNGOSCOPE MILLER/MACHINTOSH

67-70

FARM & YARD PRODUCTS

63

49







Articl No.	Size	Material
WI-700	30 cm	s/s

OverviewThis OB CHAIN Hig quality, heavy nickel-plated obstetrical chains, Also avaialble with stainless steel matreial



STAINLESS STEEL OB CHAIN

Articl No.	Size	Material
WI-701	60 cm	s/s
O	the first of the f	Laboritation Indication Albert

Hig quality, heavy nickel-plated obstetrical chains. avaialble with stainless steel matreial



HARMS OBSTETRIC CHAIN, WITH SINGLE HOOK,

Artici No.	Size	Material
\\/I_701B	20 cm	s/s

OverviewThis OB CHAIN Hig quality, heavy nickel-plated obstetrical chains, Also avaiable with stainless steel matreial





(WI-702) CALF PULLER, RATCHET-STYLE
Easy To Operate Zigzag Action, Extra Long 65" With 12" Extension For A Total Size Of 77". Three Separate Hook Attachments, Special 2 Piece Shaft For Storing, Grooves Made With Great Accuracy To Guarantee Against Slippage, 100% Zinc Plated Heavy-Duty Gauge, Breeching Chain And Nylon Strap Also Included! Weight: 26 Lbs (12kgs)



can also customise Sizes to suit your requirements!



HEEP PROLAPSE EWESPOON

Articl No.	Size	Material
WI-703		s/s

Prevent problems of vaginal prolapse in ewes with this improved version of the well known product. No rough edges and an extra tying position for increased stability. Can be used repeatedly. Four per bag



STAINLESS STEEL EYE HOOK - stainless steel and available in lengths of 6.5cm and 8 cm., For use under veterinary supervision,



can also customise Sizes to suit your requirements!



OBSTETRIC CHAIN AND OBSTETRICAL HOOK FOR COW

Articl No.	Size	Material
WI-725B	30",45"60"	s/s

(WI-584B) SAW WIRE HANDLE



(WI-584S) SUTURE STYLE OB HANDLE SIZE 4"





(WI-705) OB HANDLE 5" WIDE X 5.5" LONG. 49

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





OB KREY HOOK

 Articl No.
 Size
 Material

 WI-706
 8"
 s/s


This double-action OB hook will bite into part of the fetus in the process of doing an embryotomy. Should the instrument slip, the hooks will close automatically and prevent in-jury. Stainless steel.



 Articl No.
 Size
 Material

 WI-708B
 52cm
 s/s

This Midwifery Tong, Stainless Steel Assisted Midwifery Forceps Pliers Pig Cattle Instruments Tool 17.3x5.3inch Pig Midwifery



 Articl No.
 Size
 Material

 WI-710
 52 cm
 s/s

This forceps supports the birth of piglets and lambs. With the forceps, which is placed around the head of the piglet or lamb, any piglet or lamb can be pulled out. for pigs or sheep about 52 cm long.



can also customise Sizes to suit your requirements!

Double Blunt Eye Hook Stainless steel double blunt hinged eye hook. Hinge allows for best possible placement. Measures 5.5" in length.



WI-708 52 cm s/s

This forceps supports the birth of piglets and lambs. With the forceps, which is placed around the head of the piglet or lamb, any piglet or lamb can be pulled out. for pigs or sheep about 52 cm long.



Articl No: Size Material
WI-717 6.5 cm s/s
All stainless steel and available in lengths of 6.5cm and 8 cm. For use under

veterinary supervision. 5/8" Hole dia. Hook 3/4"L

P

VAGINAL SPECULUM FOR SHEEP
Size Material
20 cm s/s

WI-711 20 cm s/s Duckbill Speculum 20cm is designed for Sheep, Goat and other small animals. It is used for diagnostic, examinations and other procedures.



Introducing the 12" OB Bovine Cervical Forceps, an essential tool for veterinarians and livestock professionals involved in bovine obstetrics. These forceps are meticulously crafted from high-quality stainless steel, ensuring durability and reliability in critical procedures



POLANSKY VAGINAL SPECULUM WITH 3 BLADES
Articl No. Size Material

WI-722 36cm s/s

The handle is designed ergonomically for comfortable grip and labor saving.

Made of premium material, non-toxic, easy to clean and durable. High

temperature disinfection is allowable and safe.

Maximum opening: approx.12.5cm / 5in



Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Articl No





Articl No.	Size	Material
WI-713	26"	s/s

This cable is equipped with a locking device that will not tighten down on the body part to which it is attached. This is very useful in pulling a head into proper alignment and keeping it in place until the calf is delivered.



Stainless Steel with One large finger tip and handle adapted to the palm Size



Articl No.	Size	Material
WI-715	5"	s/s

Lyss OB Wire Handle This tool allows easy holding of an obstetrical wire. The position of the wire can be changed easily on this stainless steel handle. Made of high quality stainless steel




Articl No.

WI-720

Articl No.	Size	Material
WI-716	Size: 4" (10CM 16cm) Long X 1/2" Diameter	s/s



WI-719 23" Danish model. These forceps open sideways, making it practically impossible to catch the uterine lining. The piglet is gently grasped either around the head or



VETERINARY SUTURE NEEDLE

Size

Articl No. Material WI-727 14,18cm s/s For neutering female cats Made from stainless steel Flattened and blunt end Disinfectable and sterilisable Length customize



	I BAK OB CHAIN HANDLE	
Articl No.	Size	Material
WI-732	9"	s/s
Allows for use of both b	ands for pulling Hook Handle 22	om I Cand blacted

Allows for use of both hands for pulling. Hook Handle 22cm L. Sand blasted smooth stainless steel. 9" long x 1" diameter.



WI-726 30cm Good quality surgical instruments made with high grade French or Japanese steel material



OBSTETRIC HOOK FOR BOVIVET CALVING BELT

Calving belt with stainless hook. Simple and strong calving belt to use		AI CIOC NO.	Size	COLOI	Material
, ,				Soft Weave	
	Calving belt with stainless hook. Simple and strong calving belt to use together with obstetric chains or robes.				



	OBSTETNIC HOOK, 3/3 34 CIVI	
Articl No.	Size	Material
WI 722	54 cm 85CM	

The obstetric hook is used as an additional means during obstetrics in domestic and farm livestock; ength: 54 cm; ring handle; made of stainless





Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Sizes to suit your requirements!

can also customise


OBSTETRICAL INSTRUMENTS



S/S



This instrument will bring your wire around any tight or difficult location on the fetus.





RUGGEBERG OB EYE HOOK				
Articl No. Size Material				
WI-737 5.5" stainless steel				
Thygesen model, nickel-plated with handle for fixation of obstetric chain.				



The handles allow for good grip and easy cutting, A Kit containing two O,B, saw wire handles and one roll of saw wire is available.

30"

WI-584



VAGINAL SPECULUM F/HORSES AND COWS METAL DUCK BILL
TYPE

11FE	
ArticI No. Size	Material
WI-733 27cm-35cm	s/s

Duckbill Speculum 20cm is designed for Cows ,horses and other small animals. It is used for diagnostic, examinations and other procedures.




	KILLIAN VAGINAL SPECULUM FOR DOGS
ın	Siza

Artici No.	Size	Material
WI-734	8.5CM	s/s
Killian Vaginal Sp	eculum for dogs. Has set screw a	and 3 1/2" blades.



Articl No.	Size	Material
WI-738	Standard	plastic

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale



Articl No. Size(inch) Material WI-731 S/S 30"



can also customise Sizes to suit your requirements!

Articl No. Size Material WI-728 85cm NICKLE PLATE

Thygesen model, nickel-plated with handle for fixation of obstetric chain.



EMBRYOTOME THYGESEN, 100 CM

Articl No. Material Size 100cm NICKLE PLATE WI-729

Thygesen model, nickel-plated with handle for fixation of obstetric chain.



JOINTED THREADER FOR EMBRYOTOME Material

WI-730 80cm-100cm Ideal for Jointed threader 100 cm for Thygesen embryotome



GENERIC ARTIFICIAL INSEMINATION GUN FOR CATTLE

Articl No. WI-742 s/s Generic Artificial Insemination Gun for Cattle Cow Dairy Universal Clip Type Farm Equipment Semen Livestock (Size : A)

ArticI No.





Available in 2.5" and 3.75" lengths WI-600 Heavy-duty stainless steel construction makes this the preferred cannula for abdominal taps in horses.



TEAT TUMOR EXTRACTOR

Articl No.	Length	Ø	Material
WI-602-A	15 cm	4.4mm	s/s

Stainless Steel With two cutting edges that come together for removal of fibrous tissue.





TEAT SLITTER

Articl No.	Length	Ø	Material
WI-603-A	18 cm		s/s

The teat slitter butterfly model is used to cut the teat from the inside. The cutting size can be adjusted by means of an adjusting screw, The teat slitter is made of stainless steel.



HUGS TEAT TUMOR EXTRACTOR

Articl No.	Length	Ø	Material
WI-605-A	17.5 cm		s/s

Designed to remove calculi formation in teat canal, Chrome plated, 7" long doubledbladed,



	TEAT DILATOR SC	REW ACTION	
Articl No.	Length	Ø	P

13 cm 17 cm Teat dilator with screw action made of durable stainless steel



TEAT KNIFE

Articl No.	Length	Ø	Material
WI-608	12 cm		s/s



Articl No. Length WI-611

The unit is 14 inches in length not including the T-handle, The overall length is 15 inches, The inside diameter of the base is 1 3/8 inches. The center tube inside diameter is 7/8 $\,$ inches. This stomach tube employs an o-ring and 4 intake ports at the base of plunger. The unit is well made, finely tooled and highly polished.



TEAT KIT

Articl No.	Length	Ø	Material
WI-621	standard		s/s
Made from high quality steinless stee Materiall			



MILK CATHETER

Articl No.	Length	Ø	Material
WI-606	8.5 cm	2.5 cm	s/s
			0,0



	MILK TOBE ADJUSTABLE		
Articl No.	Length	Ø	Material
WI-607	3.5"		s/s



TEAT SLITTER Articl No. Length

Material WI-610

Extra thin model. Blades are opened by loosening the small burr on the side of the instrument. 7 1/2"L



The kick stop is an anti-kicking device for cows. The device fits any size animal by pushing down on the adjustment button. Made of galvanized steel the tool is designed for rugged conditions. Heavy duty made from gallvanized steel.

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





SPRING CLIP

Artic No.	Length	Ø	Material
WI-615	Standard		s/s
The Advantage of the Control of the	and the second of the second o	The decise Co.	

The kick stop is an anti-kicking device for cows. The device fits any size animal by pushing down on the adjustments



RUBBER CAP FOR COW IMMOBILIZER

Articl No.	Size	Material
WI-616	Standard	Plastic



MILK WHISK STAINLESS STEEL	MIL	K W	HISK S	STAIN	LESS	STEEL
----------------------------	-----	-----	--------	-------	------	-------

Articl No.	Size	Material
WI-618	Standard	Plastic


Milk Whisk stainless steel ideal for stirring milk in a bucket approx 40 cm length with 6 wire bents Proper mixing of colostrum and supplements is essential to ensure the quick and efficient uptake of nutrients and a fast response from your animals.



can also customise Sizes to suit your requirements!

COM	TAIL	CLAM	Ρ
_			

Artici No.	Size	Material
WI-612	Standard	Metal/zinc
For cattle or equine	. Ideal for fairs, shows or grooming.	Galvanized. Easy,
safe and quick to pu	it on. The width of the clamp is 5.5"	with a diameter of



	hickness	Le		
19001-585	8,10MM	40MM	Metal/Zinc	
19001-586	6,8MM	50MM	Metal/zinc	
19001-587	8,10MM	70MM	Metal/zinc	
can also customise Sizes to suit your requirements!				



easy to turn over meat.



	<u>OVAL LINK</u>				
	Article	Ring Thickness	Length	Material	
	19001-576	8MM	40MM	Metal/Zinc	
	19001-577	6MM	50MM	Metal/zinc	
	19001-578	6MM	70MM	Metal/zinc	
can also customise Sizes to suit your requirements!					

TENDON CLAMP

Articl No.	Size	Material
WI-612	Standard	Alu

Avoids kicks during hoof treatments. To be placed at the hollow of the knee of the animal. Works by pinching the tendon. Very efficient and strong model. according Bron for immobilizing cattle reliably and without pain



MEATHOOK			
Articl No.	Size	Material	
WI-617	6mm Thickness	Metal/zinc	
The control of the board does not be a board of the control of the			

They are made to hang droe wors and biltong to dry, or carcases in your butchery or after hunting.

6 mm diameter with sharp points. Length: 130 mm. MEAT HOOK

Length WI-617B Metal/zinc The impressive Reelax Deep Drop / Meat Hook 4 Inch Head Stainless Steel is ideal for hand gaffing those larger fish, and comes with a convenient dyneema rope for weighing any prized fish.



D RING			
Article	Ring Thickness	Internal DiD	Material
19001-600	8,10,12MM	40MM	Metal/Zinc
19001-601	6,8,10MM	50MM	Metal/zinc
19001-602	8,10,12MM	70MM	Metal/zinc
can also customise Sizes to suit your			

We have a wide variety of cow general instruments. If you want to get something other than the variety of cow general instruments. contact us. Thank you



+92-311-6194103





Articl No. Size Standard

This easy-to-use instrument was designed for the one-person operation of castrating lambs, calves, goats and other animals quickly and easily.



Articl No. Material Size WI-651 Standard Plasti

Band castration is easy and affordable. Expands an elastic "O" ring that slides over the scrotum including testicles and can also be used on tails. The released "O" ring squeezes shut all arteries supplying blood.




BAND CASTRATOR Articl No. Size Material WI-652 Standard

Band castration is easy and affordable. Expands an elastic "O" ring that slidesover the scrotum including testiclesand can also be used on tails. The released "O" ring squeezes shut all arteries supplying blood. After a period of 10-20 days the tail or scrotum falls off.




A very convenient to carry, yet effective, castrating instrument made of durable stainless steel. Folds and fits in your pocket.



Material WI-665 14cm s/s The instrument is used to remove the ovaries when castrating pigs. It works

on the principle of the emasculator, and for this reason it has a blood vessel crushing and tissue cutting effect.

Made of stainless steel



on the principle of the emasculator, and for this reason it has a blood vessel crushing and tissue cutting effect.

can also customise Sizes to suit your requirements!

Made of stainless steel



Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





KNEE BRACE FOR LARGER MODES

Articl No.	Size	Material
WI-655	Standard	s/s
	Made of stainless steel	



Articl No. Size Material 26CM WI-658 A reasonable quality castration knife suitable for marking lambs or calves.



HAUSMAN STANDARD EMASCULATOR FOR HORSES

Artici No.	Size	Material
WI-659-18	18CM	s/s
WI-659-26	26CM	s/s
WI-659-31	31CM	s/s
	Cruches enormatic cord for eastration of h	orcoc

can also customise Sizes to suit your requirements!



Articl No. Size 31cm WI-660 s/s

This Emasculator's three actions: clamping, crushing and cutting, It draws the cord concentrically into the jaws, preventing slipping of the cord. As the jaws are closed on the spermatic cord it is gripped by the clamping part. Ratchets holds emasculator locked 31CM Length,



WHITE'S MODIFIED DOUBLE CUSH EMASCULATOR

Articl No.	Size	Material
WI-664-9	9"	s/s
WI-664-12	12"	s/s

The double-crush emasculators (White-Style) crush the cord and blood vessels followed by a sharp cut, reducing post-op bleeding and infection.



WI-668

Material Size



BLOODLESS CASTRATOR FOR LAMBS

Articl No.	Size	Material
WI-657	23CM	s/s

Emasculatome Castrator is a precision instrument with cord stop for bloodless castration. Made of nickel-plated steel.



Articl No. Size WI-661

This single action emasculator uses a ratchet on the handle so that the jaws can be clamped shut. One of the jaws is a single, curved blade that closes between two blades on the other side, 31CM Length



SEERA EMASCULATOR CASTRATION PLIER

Articl No.	Size	Material
WI-663	31cm	s/s



Articl No. Size

WI-667 stainless steel construction with interchangeable stainless steel blades. Will split the scrotum for easier removal of testicles.

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Material



STAINLESS STEEL BLUE VERSION

Articl No.	Size	Material
WI-427	20CM	s/s

Hoof Rot Shears have sharp, pointed double stainless steel blades. The top blade is serrated to cut hooves with ease. Blue powder coated handle. Use to trim cattle, sheep and goat hooves. Available in Blue, Black, Green colors.



Articl No. Size Material

Popular compound action steel model, with extra sharp blades that are re-placeable. Green with black handle grips. Suggested for use with cattle.



Articl No. Size Material 60CM

A different style of hoof trimmer, very useful for trimming toes and overgrown hoof material. Double action leverage makes this tool very easy to use, Length 60cm



PROFESSIONAL FOOT ROT ALLUMINIUM VERSION

Articl No.	Size	Material
WI-425	60CM	s/s
arge 23 CM replace	able blades, Lightweight and resistant, T	hick aluminium handl

for a better grip, The Professional cutter,



A heavy duty nail clipper designed for dogs over 40 pounds, Constructed from German stainless steel.



FOOT ROT SHEAR HEAVY DUTY

Articl No. WI-428 20CM Green handle foot rot shears High quality foot rot shears/hoof snips sourced.

These hoof shears feature green forged handles with a flexible strap closure for storage and separate removable blades.Plain &Serrated versions



HEAVY DUTY SMOOTH SHEAR Material Size 18CM

This foot rot shears High quality foot rot shears/hoof snips sourced. This hoof shears feature Drop forged handles with aflexible strap closer.

Articl No.

WI-430



MULTI JOINT HOOF CUTTER GREENPAINTED

Articl No.	Size	Material
WI-432	42CM	s/s

Manufactured from excellent quality materials and suitable for heavier use.



LIGHT WEIGHT PLASTIC HANDLE VERSION

	EIGHT WEIGHT FEAGURE HANDLE VERGION	
Articl No.	Size	Material
WI-426	6.5"	s/s

Lightweight Foot Rot Shear has durable plastic handles and stainless steel blades, Bottom blade is serrated for better holding and cutting, Wt. 4 oz,



	PIG TOOTH NIPPER	
Artic No.	Size	Materia
WI-386	5 1/2"	s/s

A very handy tool to cut piglets teeth, All stainless steel.

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale







VANTAGE DOG NAIL SCISSOR13CM

Articl No. Material Size WI-388 13cm



DOG NAIL GUILLOTINE ACTION S/S

Articl No.	Size	Material
WI-387	10"	s/s

Heavy duty, solid steel construction is guaranteed to last. Attractive chrome plating adds durability,



can also customise Sizes to suit your requirements!

FOOT ROT SHEAR LIGHT WEIGHT MULTICOLOR Articl No Material

Standard

A Supersharp lightweight Footrot shear ideal for Lambs. Steel blades - heat treated to cleanly cut hard hooves.



STOMACH TUBE Size

60" Use the Stomach Tube to safely and effectively relieve bloat in your ruminant animals like cattle, sheep, goats, and more. This tubing has an outside diameter of 1/2" and an inside diameter of 3/8".





DROP FORGED HEAVY DUTY PIG&DOG NAIL CUTTER
Size Material

Articl No. WI-434



HEAVT DUTY HOOF SHEAR FELCO TYPE

Articl No.	Size	Material
WI-441	10"	s/s

This foot rot shears High quality foot rot shears/hoof snips sourced.



Articl No. Size 20CM


Green handle foot rot shears High quality foot rot shears/hoof snips sourced. These hoof shears feature green forged handles with a flexible strap closure for storage and separate removable blades. Plain & Serrated versions



FOOT ROT SHEAR LIGHT WEIGHT MULTICOLOR

Articl No Material Size High Carbon Standard

Ideal shear for dressing and showing. Single-handed use leaves one hand free to puff the fleece and remove cut wool. Also useful for dagging.






can also customise Sizes to suit your requirements!

RUMINAL MAGNETS

Articl No. Material Size WI-261 10CMx3.6CM

ruminal magnets are recommended by veterinary doctors worldwide due to their magnificent composition.





Article

NATURAL LICKING SALT WITH ROPE Weight KG 2.5 - 3.0 3.0 - 3.5 Available in Brick, Slab Styles

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Articl No.





COPPER PIG NOSE CLIPS

Articl No. Materia WI-320

These Copper Pig Nose clips are the ideal way to control pigs digging their way next door. Use up to six around the top of the nose.



Make pig ringing quick, easy and painless, The high quality applicators, and is designed for inserting Nickel Plated and High Tensile rings.



can also customise Sizes to suit your requirements!



	PIG NOSE CLIPS APPLICATE		
Articl No	Size		

WI-322 Metal

Pig Nose Clips Applicator A cheaper alternative to the pig rings these clips will also prevent pigs from digging.



	PIG WIRE KINGS		
Articl No.	Size	Material	
WI-323	Customise	s/s	

Low-cost, quick and effective way to control pigs digging. Use several around the top of the nose







Artic No. WI-325 14"



BULL NOSE RING BRASS WITH L KEY					
Articl No.	Size inch	Size mm	Thickness	Material	
WI-880-54	2.25"	54	5/16"X3"	Brass	
WI-880-61	2.5"	61	5/16X3"	Brass	
WI-880-65	2.75"	65	5/16X3"	Brass	
WI-880-75	3"	75	5/16X3"	Brass	





can also customise Sizes to suit your requirements!

BULL RING SELF PIERCING ALUMINUM				
Articl No.	Size inch	Size mm	Thickness	Material
WI-881-54	2.25"	54	5/16"X3"	Alu
WI-881-61	2.5"	61	5/16X3"	A l u
WI-881-65	2.75"	65	5/16X3"	Alu
WI-881-75	3"	75	5/16X3"	Alu





		BULL NUSE KIN	<u>G</u>	
Artic No.	Size inch	Size mm	Thickness	Materia
WI-882-54	2.25"	54	5/16"X3"	Brass
WI-882-61	2.5"	61	5/16X3"	Brass
WI-882-65	2.75"	65	5/16X3"	Brass
WI-882-75	3"	75	5/16X3"	Brass







Articl No.	Size inch	Size mm	Thickness	Material
WI-883-54	2.25"	54	5/16"X3"	Copper
WI-883-61	2.5"	61	5/16X3"	Copper
WI-883-65	2.75"	65	5/16X3"	Copper
WI-883 - 75	3"	75	5/16X3"	Cooper

5/16X3" 75 (WI-885) SCREW FOR NOSE RIN COOPER







(WI-886) SCREW FOR NOSE BRASS



(WI-887) SCREW FOR NOSE RING S/S





Articl No.	Size inch	Size mm	Thickness	Material
WI-884-54	2.25"	54	5/16"X3"	s/s
WI-884-61	2.5"	61	5/16X3"	s/s
WI-884-65	2.75"	65	5/16X3"	s/s
WI-884-75	3"	75	5/16X3"	s/s

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale



Material





AUTOMATIC BULL LEAD

Articl No. Material Size WI-826 Gives nose shorter look than most leads, Auto-lock design for easy removal, Brass.



AUTOMATIC BULL LEAD Size

Articl No. Material WI-827 5" s/s,Alu Gives nose shorter look than most leads, Auto-lock design for easy removal, Available is c/p and alluminium material



Articl No

can also customise Sizes to suit your requirements!

HEAVY DUTY COIL SPRING BULL HOLDER

	GIZE	
WI-828	15cm	s/s
This Bull Holder Al	lloy is a popular show lead suitable for cati	tle and bulls, coil spring
	with protective release cover	



HARMS BULL HOLDER STAINLESS STEEL

Articl No.	Size	Material
WI-829	19cm	s/s
	The two halls provide a perfect grip in the	he nose



Articl No. Material WI-830 20,5cm

Bull Lead w/locking hook 20.5cm Long,1.5m Poly rope



WI-831 19cm Bull Lead w/locking hook ,Overall length is 7 3/4" with a 5/8" hole for chain,



Articl No. Size Material WI-832 19" c/s Strong Plastic Grip Handle

BULL HOLDER - LONG HANDLE Artic No. Size Material WI-833 Bull Holder - Long Handle The Bull Holder Tong is a stainless steel device used on

SPRING BULL LEAD

Articl No. Size Materia -034 5" s/s These Spring Lock Leads Are Built For Quick Insertion And Removal




cattle when the drenched

WI-835 17cm Cattle twitch is a stainless steel device used on cattle to control them when drenching them or doing any tasks that requires you to handle the animal...



Place stainless steel lead into animal's nostrils and close gently





Articl No. Size Material

Cattle twitch is a stainless steel device used on cattle to control them when drenching them .1m Nylon Rope And Snap Hook



BULL HOLDER Articl No. Material Size WI-840 s/s

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

also customise Sizes to suit your requirements!

can



WI-180

Articl No.

can also



TROCAR AND CANULA WOODEN HANDLE

Articl No. Size(mm) Material (100MM×4MM) (120MM×7MM) (150MM×10MM)

The flat-to-round shape has made this plastic handle trocar very popular for venting animal gas accumulations. Extremely sharp point, giving way to three angled flat sides




TROCAR AND CANULA METAL HANDLE

Articl No. Size(mm) (100MM×4MM) (120MM×7MM) (150MM×10MM) WI-177

The flat-to-round shape has made this steel handle trocar very popular for venting animal gas accumulations, Extremely sharp point, giving way to three angled flat sides

(100MM×4MM) (120MM×7MM) (150MM×10MM)






Outer dia 7-inner dia 5.5mm

CALF WEANER SMALL Size(mm) Material Made of POLY material which is strong and durable. WI-753



CALF WEANER LARGE Material Size(mm) poly

19cm





NYLON CALF WEANER Articl No. Size(mm) Material WI-755

Nylon calf weaner is durable and easy to apply. Apply easily and painlessly by hand, Suitable for all calves up to 18 months of age. An economical and efficient way to stop suckling. Available in Yellow color.



Articl No. Material Lenath Width WI-757 Metal 40,55,60mm



TROCAR AND CANULA PLASTIC, WOOD HANDLE

Articl No. Size(mm) Material WI-176 (100MM×4MM) (120MM×7MM) (150MM×10MM) S/S

The flat-to-round shape has made this plastic handle trocar very popular for venting animal gas accumulations. Extremely sharp point, giving way to three angled flat sides, (100MM×4MM) (120MM×7MM) (150MM×10MM)



Articl No. Material (100MM×4MM) (120MM×7MM) (150MM×10MM) WI-178 S/S



Articl No. Size(mm) Material (135MM×3MM) WI-182



can also customise Sizes to suit your requirements!

CALF WEANER MEDIUM

Articl No. Size(mm) Material WI-754 Milk Sucking Preventer Medium Plastic, European Pattern



CROWN WEANING RING Articl No. Material Size(mm)

Crown weaner of simple construction and practical design. Made of stainless steel



ALUMINIUM CALF WEANER Articl No. Material Size(mm) WI-750 Milk Sucking Preventer Aluminum with Spike



UMINIUM CALF WEANER

Articl No. Material Size(mm) WI-756 Milk Sucking Preventer Aluminum with Spike Alu

BOLUS APPLICATORS & BALLING GUNS





for single-handed operation ,rounded edges, internal diameter 36 mm, with retaining spring



The Multi-Bolus Balling Gun was designed for delivery of up to six boluses. The trigger action dispenses one bolus with each squeeze of the handle. Multiple bolus doses are delivered quickly and easily with little stress to the animal and operator. Administers six 240-gram capsules and is 17 1/2" long.



WI-2119 53 & 70 cm Customise Bolus Applicator. This stainless steel non magnetic cattle bolus applicator is suitable for use with 24.7 iodine, selenium, cobalt cattle bolus (1 bolus)

Length Size

Artic No.

Dia Ø

Materia



17,23,25,38mm This is our line of reusable bolus applicator with multi head. The instruments were designed to administer boluses to large & small animals. Head can be change according to the animal size. complete set. Applicator's length is also available in 18",15"



RUMINAL MAGNET BALLING GUN FOR CATTLE Artic No. Length Size Dia Ø Material

Ruminal Magnet Balling Gun for Cattle. Heavy duty Stainless Steel Balling Applicator Ideal for the administration of boluses and cattle magnets



BALLING GUN PLASTIC HEAD			
Articl No.	Length Size	Head Dia Ø	Material
WI-2117	20 1/2"	5/8	s/s

Sturdily constructed balling guns feature metal fabrication to resist corrosion for long, trouble-free use. Heads are reinforced for extra strength to resist breakage.



FARMERS BALLING GUN PLASTIC HEAD Articl No. Length Size Head Dia Ø Material WI-2116 20 1/2'

Sturdily constructed balling guns feature metal fabrication to resist corrosion for long, trouble-free use. Heads are reinforced for extra strength to resist



Articl No. Length Size Head Dia Ø WI-2114 21 1/2"

Sturdily constructed balling guns feature metal fabrication to resist corrosion for long, trouble-free use. Heads are reinforced for extra strength to resist



30cm This balling gun with rubber mouthpiece for pills of approx. 15 – 20 mm





Sturdily constructed balling guns feature metal fabrication to resist corrosion $% \left(1\right) =\left(1\right) \left(1\right) \left$ for long, trouble-free use. Heads are reinforced for extra strength to resist breakage.



Bolus or Balling Gun for Sheep/Goats Curved. Spring loaded with rubber mouthpiece for pills of approx. 15 - 20 mm

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

WI-2121

ABS Plastic



Articl No. Material WI-250 30ml,50ml Revolving Syringe with accurate one hand pump-dispense mechanism used to administer injections to the animale,



Articl No. Size Material 25ml 400ml WI-254

Manufactured with an almost unbreakable, clear nylon barrel, Excelent for use with stomach tubes or for rinsing out the mouth before a dental procedure, Includes silicone lubricant, Nozzle: 4" long, 1/4" nozzle diameter,



Adapt a syringe for oral drenching needs, such as drenching sheep and goats, with these 4" cannula attachment



MANUAL METAL VACCINE SYRINGE

Articl No. Material Size ml WI-256 10ml,20ml s/s



Material S/S



(WI-2010) CLOCK TYPE CUTIMETRO FOR TUBERCULIN TEST

Analog cutmeter with rev counter, clock-type display. One complete turn of the pointer equals 1 cm. The reading is done through the clock and the auxiliary measuring ruler, The clock and ruler are in millimeters,



Articl No. WI-252 30ml.50ml Alu self-filling model incl. valve tube (70 cm) is fitted with a head and can easily be equipped with the cannula suction head supplied incl, curved input cannula with separate Luer lock adapter



SYRINGE-DRENCHER MANUAL Size Material 30ml,50ml,70ml,120ml,150ml,200ml,300ml Plastic

can also customise Sizes to suit your requirements!

PC



20ml

Articl No. WI-251

Articl No.

WI-255



NYLON SYRINGE LUER & RECORD Articl No. Material WI-258 30ml PC



NYLON SYRINGE LUER & RECORD Articl No. Material WI-259 50ml PC



NYLON SYRINGE LUER & RECORD Articl No. Material WI-260 РС 10ml



Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

your requirements!

also customise Sizes to suit

Articl No.

WI-257





ALUMINUM LEG CROOK ONLY HEAD

Articl No. Size(cm) Material WI-300

Very effective for grabbing either the front or rear legs of a sheep or goat when you need to do individual treatment on an animal. Excellent for pasture situations. Cast aluminum Length: 5.87" 7/8" diameter hole for attaching to your own handle or to the end of a fiberglass or wooden shaft, or a wooden neck crook. Use 1/8" x 1/2" screw or small nail (not included) to lock into place.



SHEPHEDS CROOK STICK, (Dipping Triplet Crook Stick

Articl No. 150 cm



customise Sizes to suit your requirements!

can also

SIPPING STICK M SHAPE NICKLE PLATED

Articl No. Material Size(cm)

Dipping Crook Head BRAND NEW S shaped crook head suitable for holding sheep down in the dipper. Will fit a 25mm handle

ALUMINIUM SHEPHERDS CROOK WITH LONG NECK Size(cm) Articl No.

The Aluminium Shepherd's Crook is a sturdy yet lightweight crook stick suitable both for farmers and as a walking aid. The crook handle is ideal for gathering $% \left(1\right) =\left(1\right) \left(1\right) \left($ livestock, and the reliable aluminium construction.



STETHO SCOPES

Articl No. Size(cm) Material these are a good quality basic stethoscope with dual head facility

SHEPHERD'S HOOK FOR GRABBING A LEG, WITH HANDLE Articl No. Material Size(cm) 150 cm WI-310 Alu



SHEPHERDS CROOK LEG Size(cm) Articl No. Material 90cm & 135cm WI-301

Shepherds crook neck Suitable for catching sheep from a flock without pulling the wool This hook prevents haematocele



SHEPHERDS CROOK NECK Articl No. Size(cm) Material WI-302 Alu

Shepherds crook neck Suitable for catching sheep from a flock without pulling the wool This hook prevents haematocele



Dipping Crook Head BRAND NEW S shaped crook head suitable for holding sheep down in the dipper. Will fit a 25mm handle



METAL LEG CROOK ONLY HEAD

Articl No. Material Size(cm) 150 cm Designed to be used in conjuction with an heavier duty thicker shaft



ANIMALE TAPE MEASURE Articl No. Size(cm) Material WI-313 For the direct measuring of cattle and pigs.2.5 meters long in strong plastic

casing with auto rewind



SHEPHEREDS CROOK CHESTNUT NECK

Articl No. Size(cm) Material 150 cm WI-315 Wood

Please note - Almost all the couriers have imposed a "delivery surcharge" For long items over 1.2 metres !!Please ask when ordering !!!

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale







Articl No. Material

This pliers is made of high quality ${\bf gteel}$ with paint plating surface for rust and corrosion resistance, long service life. The operation is simple, traditional installation way, fast and convenient, easy to use



This pliers is made of high quality Aluminium material with paint plating surface for rust and corrosion resistance, long service life.




and corrosion resistance, long service life. The operation is simple, traditional installation way, fast and convenient, easy to use





(WI-230) EAR TAG YELLOW





Articl No. Blade Size Material High Carbon

Special soft coating in handle area for greater comfort Axle of lower arm is extended for better comfort.



SHEEP SHAR DOUBLE BOW Blade Size Fi Articl No. Finshinh Material Lether High Carbon Special soft Leather coating in handle area for greater comfort Axle of lower arm is extended for better comfort . can also customise Sizes to suit your requirements!



SHEEP SHEAR SINGLE BOW Articl No. Finshinh Material Coating 279 5" & 6 1/2" High Carbon

This Single bow design has angled blades for greater user control and comfort Cutting



SHEEP SHEAR SINGLE BOW Articl No. Finshinh Material Blade Size Coating High Carbon

This Single bow design has angled blades for greater user control and comfort Cutting



Angled shaped give comfortable cutting angle for smooth cutting, Special soft coating in handle area for greater comfort Axle of lower arm is extended for better comfort



SHEEP SHEAR DOUBLE BOW Blade Size Finshinh Articl No. Material Coating 281 High Carbon

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





TATTOO DIGITS PLASTIC

Articl No. Material WI-201 5/16' To be used with Small Animal Tattoo Outfit Customise size also available



Smaller pliers were adjusted to fit smaller hands, its spring loaded release system pushes the ear away from the points preventing scratching leaving only legible marks on the ear.



Aluminum, 4 Spaces Letter/Digits Size: 3/8" Character Plastic Base And Unbreakable Stainless Steel Needles Digits And Letters Also Available Separately



Letter/Digits With Stainless Steel with Unbreakable Needles Assembled On Solid Brass Plate Digits And Letters Also Available Separately.




Artic No. Chain Digit size Cells Materia 10 4 & 5

ROTARY TATTOO PLIER ALLUMINIUM BODY Artic No. Chain Digit size Cells Material 3/8 10 4 & 5 Easy to operate, just like a dating stamp, Digits are easily turned by a slight pressure of the thumb, Features Aluminium handles (heat treated for strength), brass digit plates with nickel-plated steel digit

needles, nylon rollers, and pawls

Easy to operate, just like a dating stamp, Digits are easily turned by a slight pressure of the thumb, Features Aluminium handles (heat treated for strength), brass digit plates with nickel-plated steel digit needles, nylon rollers, and pawls





Articl No. Cells Material WI-210 10 Metal/Zinc 20mm



HIGH QUALITY TATTOO PLIEFR 2 ROW

Cells

Font size

20mm

NUMBER SET FOR TATTOO HAMMER Artici No. Font size

WI-209 7mm & 20mm

Material Metal/Zinc



Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Mate

Articl No.





CLOVERLEAF SHAPE EAR NOTCHER

Articl No. Size(inch) Material WI-550

Use a Cloverleaf-ear notcher to notch piglets weighing less than about 25 pounds. These notchers typically make a notch that is 3/16 to 1/4 inch deep. For



U SHAPE EAR NOTCHER

Articl No. Size(inch) Material

WI-551 6" & 8" Use a U-ear notcher to notch piglets weighing less than about 25 pounds. These

notchers typically make a notch that is 3/16 to 1/4 inch deep. For larger pigs, a notcher that makes notches 1/2 inch deep is recommended



V SHAPE EAR NOTCHER

Articl No. Size(inch) Material

Use a V-ear notcher to notch piglets weighing less than about 25 pounds. These notches typically make a notch that is 3/16 to 1/4 inch deep. For larger pigs, a notcher that makes notches 1/2 inch deep is recommended



Articl No. Size(inch)

6" & 8'

Use This Version V-ear notcher to notch piglets weighing less than about 25 pounds. These notchers typically make a notch that is 3/16 to 1/4 inch deep. For larger pigs, a notcher that makes notches 1/2 inch deep is recommended 15CM,20CM



KEYHOLE SHAPE

Size(inch)

Use a Key Hole notcher to notch piglets weighing less than about 25 pounds.

These notchers typically make a notch that is 3/16 to 1/4 inch deep. For larger pigs, a notcher that makes notches 1/2 inch deep is recommended



SQUARE SHAPE EAR NOTCHER

Articl No. Size(inch) Material

WI-556 6" & 8"

Use a rectangular notcher to notch piglets weighing less than about 25 pounds. These notches typically make a notch that is 3/16 to 1/4 inch deep. For larger pigs, a notcher that makes notches 1/2 inch deep is recommended Ear-notching helps identify a pigs litter and which one of the litter it is, giving each pig a unique identity number.



PUNCH SHAPE EAR NOTCHER

Articl No. Size(inch) cut size Material

8.10,12m WI-557 Aluminium

Use a punch shape notcher to notch piglets weighing less than about 25 pounds. These notches typically make a notch that is 3/16 to 1/4 inch deep. For larger pigs, a notcher that makes notches 1/2 inch deep is recommended Earnotching helps identify a pig litter and which one of the litter it is, giving each pig a unique identity number.,22CM



EAR NOTCHER TRIANGULAR NOTCHER

Articl No. Size(inch) cut size Material WI-558 customise

Ear Notcher Triangular NotchEar marking pliers are used to mark animal ear. The pliers make a permanent mark on the ear for the life of the animal.Our ear marking pliers are made of stainless steel have a rigid construction. Leaf spring for easy working and back-lock for storage. The pliers can mark a Triangle on the ear.22CM



BRANDING SET COPPER Articl No. Numbers Material Font Size WI-308 Alu Marking Paint Brands Complete with handle







Material

Sizes to suit your requirements!

can also customise

MARKING PAINT BRANDS ALLUMINIUM 0-9

Articl No. Material Font Size Aluminium WI-307

Marking Paint Brands 0-9. Alluminium numbers or letters. Complete with

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

BARNES DEHORNERS & CATTLE CRUSH PRODUCTS





BARNES DEHORNER WOOD HANDLE

Articl No.	Size(inch)	Material
WI-580	13"	S/S

Popular Barnes-type dehorner has cupped cutting edge of high-tempered stainless steel and features hardwood handles. Length 13":. Wt. 1.5 lbs.



BARNES-STYLE DEHORNER W/ STEEL HANDLE

Articl No.	Size(inch)	Material
WI-582	17"	S/S

Popular Barnes-type dehorner has cupped cutting edge of high-tempered stainless steel and features nickel-plated carbon steel handles with rubber grips. Length 17":. Wt. 4 lbs.



OB WIRE HANDLE PAIR

Articl No.	Size(inch)	Material
WI-584	30"	S/S

The handles allow for good grip and easy cutting, A Kit containing two O,B, saw wire handles and one roll of saw wire is available,



can also customise Sizes to suit your requirements!

DEHORNER COPPER FIRE VERSION

Articl No.	Size(inch)	Material
WI-586	Standard	S/S



QUICK RELEASE CATCH

Articl No.	Size(inch)	Material
WI-2027	Standard	Metal



Articl No. Size(inch) Material WI-2023



(WI-2020) CATTLE BANDAGE REMOVER 24"30",48",60"

Stainless steel blade is replaceable and held in place by 2 stainless steal bolts and



BARNES-STYLE DEHORNER STEEL HANDLES

Articl No.	Size(inch)	Material
WI-581	12"	9/9

Popular Barnes-type dehorner has cupped cutting edge of high-tempered stainless steel and features nickel-plated carbon steel handles with rubber grips. Length 13":. Wt. 1.5 lbs.



BARNES DEHORNER WICURVED HANDLES

Articl No.	Size(inch)	Material
WI-583	13"	S/S

Popular Barnes type dehorners have cupped cutting edge of high-tempered stainless steel, Curved steel handles with rubber grip, Overall length 13", Wt, 2 lbs, Available 17" size



Articl No. Size(inch) Material 30"

Simple operation makes it easy to handle, yet powerful enough to provide a fast, clean cut. Wood handles. Length 26." Maximum blade opening of 1 1/4."



GIGLI SAW WIRE

rtici No.	Size(inch)	Material
MI-587	30"	S/S



FRONT LEG LIFT Articl No. Material Size(inch) WI-2022 Metal Standars



Material WI-2024 Metal





Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale



Articl No.



The durable 5/8" tubing rod is constructed of high strength carbon steel that is nickelplated and corrosion resistant. This catcher also features a self-locking system. Total length: 27 inches (69 cm) Cable loop extends to approximately 5-1/4" in diameter Self locking mechanism,



No-kick, quick release hog holder for restraining hogs. Strongest on the market with a 1/4" flexible cable, heavy steel shaft and steel handle. Hog Holder is constructed of painted steel with a red rubber grip handle, Strong, this 35" catcher has a 23" long, heavy aviation cable snare. Cable is extra long so breaks can be repaired. Safety lock

HOG/PIG CATCHER LARGE SELF LOCKING

The large hog catcher works great when handling larger animals. Equipped with 3/16" galvanized aircraft cable and a 4" rubber gripped stainless steel handle. The durable

5/8" tubing rod is constructed of high strength carbon steel that is nickel-plated and

corrosion resistant. This catcher also features a self-locking system. Total length: 27

inches (69 cm) Cable loop extends to approximately 5-1/4" in diameter Self locking

mechanism, comfortable gripped pushing handle,

Material

can also customise Sizes to suit your requirements!

Articl No.

Material




40cm Meta A mini hog holder especially designed for handling small swine. Made of 3/16" galvanized aircraft cable with 4" rubber gripped solid steel T-handle. The durable 5/8" tubing rod is constructed of high strength carbon steel that is nickel-plated and

Size

WIRE PIG HOLDER Artic No. Size WI-355 108cm A mini hog holder especially designed for handling small swine, Lightweight T-handle, Safety device on restraining cable



A mini hog holder especially designed for handling small swine, Lightweight aluminum body with 4" solid alluminum T-handle. Safety device on restraining cable.






EAR TAG PLIER Articl No. Length Size WI-224 Standard Metal



TALLY COUNTER		
Articl No.	Length Size	Material
WI-623	Standard	Metal
Four-digit display (0000-9999)		





Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale



WI-501





METAL CURRY COMB, THICK TEETH, PLASTIC HANDLE (CS/POWDER COATED) Article Size Color

Multi Rows Red



METAL C	URRY COMB, 1	HIN TEETH,
PLASTIC HA	NDLE (CS/POV	/DER COATED)
Article	Size	Color

Red

Blue

METAL CURRY COMB WITH MANE, PLASTIC HANDLE (CS/POWDER COATED) Article. Size Color

8 Rows



METAL CURRY COMB, PLASTIC HANDLE (CS/POWDER COATED)

Article. Color Size WI-503 Multi Rows Red



HAIR CLIPPER WHITE WOOD HANDLE (CS/CHROME PLATED)

Artic l e	Teeth	Type
WI-504	33	Horse
WI-505	40	Horse



HAIR CLIPPER ONE HAND USE (CS/CHROME PLATED)		
Artic l e	Teeth	Type
WI-506	19	Horse
SPARE BLADES AVAILABLE OF ALL CLIPPERS		



HAIR CLIPPER RED WOOD HANDLE

Artic l e	Teeth	Type
WI-507	20	Sheep
WI-508	25	Cow



HAIR CLIPPER ONE HAND USE

(CS/CHROME PLATED)		
h Type		
Sheep		



can also customise Sizes to suit your requirements!

(WI-501) ONE HAND HAIR CLIPPER		
Artic l e	Teeth	Material
M 510	20	ALLI



COMB ROUGH (STAINLESS STEEL)		
Article	Teeth	Materia l
WI-511	23	ALU



ALUMINUM COMB (ALUMINUM)			
	Article	Teeth	Materia l
	WI-512	14	ALU



WI-509	8	Sheep	Its!
			meı
			can also customise Sizes to suit your requirements!
ALUMIN	<u>IUM COMB (Ali</u>	<u>uminum)</u>	Ē
Article	Teeth	Material	ustc
M-513	20	ALU	10 OC
		A	can als



ALGINITON COMD (ALGINITON)		
Artic l e	Teeth	Material
WI-514	20	ALU



THINNING SCISSOR DOUBLE SIDE TEETH		
(STAINLESS STEEL)		
Artic l e	Size CM	Material

WI-515



WI-516

57

THINNING SCISSOR ONE SIDE WITH FINGER HOOK (STAINLESS STEEL)		
Artic l e	Size CM	Material

57



FETLOCK SCISSOR CURVED BLADE (STAINLESS STEEL)

With Rubber Grip also available		
WI-517	20	S/S
Altioic	OIZC OIVI	wateria



	<u>URLING COMB, DO H (CS/CHROME PL</u>	
Article	Material	Side
WI-518	CS/NP	Double



SCOTCH CURLING COMB, WHITE WOOD HANDLE (CS/CHROME PLATED)

Article Material Side WI-519 CS/NP Single



METAL CURRY ROUND COMB, PLASTIC HANDLE (GALVANIZED)
Article. Size Color Green WI-520



STRIPPING COMB FOLDING WOOD HANDLE (STAINLESS STEEL) Size Cm

Wood



STRIPPING COMB FOLDING WOOD HANDLE (Stainless Steel)		
Artic l e	Size Cm	Color
WI-522	8	Wood



MANE + TAIL TRIM KIT WITH LEATHER CASE (STAINLESS STEEL)			
Article Size Color			

WI-521

No. (cm) WI-523 19 Brown	Article	Size	Color
WI-523 19 Brown	No.	(cm)	
	WI-523	19	Brown

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Multi









Customized Packing, Product Sizes is available for Customer's Convenience





Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale











FARRIERS KIT MADE OF CANVAS (CUSTOMIZED TOOLS SELECTION AVAILABLE)

Article No	Article No Material Handle			
WI-1290	Canvas	Black	7	
WI-1291	Suede	Brown	7	
Empty Bag Available				



FARRIERS KIT KNIFE BAG MADE OF CANVAS (CUSTOMIZED TOOLS SELECTION AVAILABLE)

Article No	Material	Handle	Set of Tools
WI-1292	Canvas	Black	7
WI-1293	Suede	Brown	7
	Empty Ba	ıg Avai l al	ole



Article Material Color Leather Black WI-1289 Leather Brown



can also customise Sizes to suit your requirements!





Color

Black

FARRIER APRON HEAVY W/POCKETS (SUEDE LEATHER) Article No Material Color

can also customise Sizes to suit your requirements! wi-2213 Leather Natural custom Brown custom





FARRIER APRON HEAVY W/POCKETS (SUEDE LEATHER) Article No Material Color Size

Beige custom WI-2215 Leather Brown custom



FARRIER APRON HEAVY W/POCKETS
(SUEDE LEATHER)
rticle No Material Color Size

WI-2211 Leather custom Blue Brown custom



Color

Brown custom

Article No Materil

WI-2210 Leather

FARRIER APRON HEAVY W/POCKETS (SUEDE LEATHER) Article No Materil Color Size

WI-2210 Leather Brown custom



FARRIER APRON HEAVY W/POCKETS (SUEDE LEATHER) Materil WI-2212 Leather

Brown custom

Measurements are rough estimates only: exact measurements will vary from item to item WE have wide range of farrier aprons variety for more information plz contact us directly.

Customized Packing, Product Sizes is available for Customer's Convenience



Economical Price SS Casted Material Also available



LARGE HOOF TESTER GE MODEL (DROP FORGED STAINLESS STEEL)

Article	Size mm	Size Inch	Finish
WI-116	380	15	Satin
	480	19	Satin
			-



ROUND HOOF TESTER (DROP FORGED STAINLESS STEEL)

Article	•	Size Inch	, Finish
WI-117	380	15	Satin



HOOF TESTER ADJUSTABLE (DROP FORGED STAINLESS STEEL)

Article	Size mm	Size Inch	Finish
WI-115	380	15	Satin



HOOF TESTER FLAT MODEL (DROP FORGED STAINLESS STEEL)

Article	Size mm	Size Inch	Finish
W I- 123	380	15	Satin



HOOF TESTER FLAT MODEL (DROP FORGED STAINLESS STEEL)

Article	Size mm	Size Inch	Finish
W I-11 9	330	13	Satin



HOOF TESTER FOR SMALL ANIMALS (DROP FORGED STAINLESS STEEL)

Article	Size mm	Size Inch	Finish
WI-120	350	14	Satin



HOOF TESTER ROUND MODEL

(DROP FORGED STAINLESS STEEL)					
Article	Size mm	Size Inch	Finish		
WI-121	330	13	Satin		



LARGE HOOF TESTER ROUND MODEL (DROP

FORGED STAINLESS STEEL)					
Article	Size mm	Size Inch	Finish		
WI-122	480	18	Satin		



HOOF TESTER ROUND MODEL (DROP

FORGED STAINLESS STEEL)					
Article	Size mm	Size Inch	Finish		
WI-118	380	15	Satin		



HOOF CALIPER FOR SENSITIVITY TESTING - AUTO-STATIC (AMERICAN)

Article	Size mm	Size Inch	Finish
WI-125	480	19	Satin



(DROP FORGED STAINLESS STEEL)
Size mm Size Inch Article , Finish

WI-124 Satin



HOOF DIVIDER (STAINLESS STEEL)

Article	Material
WI-1420	Steel

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

Economical Price SS Casted Material Also available





can also customise Sizes to suit your requirements!



HALIERHEAVIBOTI		
Articl No.	Size(cm)	Materia
WI-475	145cm	Leath

Sheep and Ram Halter Heavy



CATTLE HOBBLES NYLON				
Articl No.	Size(cm)	Material		
WI-476	Customize	Nylon		
Made with leather-backed nylon for durability. Adjustable holes on each leg loop allow you to adjust the loops for a secure fit.				




CATTLE HOBBLE LEATHER			
	Articl No.	Size(cm)	Material
	WI-477	Customize	Leather
Heavy Duty Leather with adjustable leather strap and heavy chain			




	NTLON HOBBLE	
Articl No.	Size(cm)	Material
WI-4 79	Customize	Webbing
	cattle hobble, made of soft nadded webbing	



HEAVY LEATHER HOBBLE		
Articl No.	Size(cm)	Material
WI-481	Customize	Leatheer
antila habble leather		



COTTON ROPE WITH SNAP			
Articl No.	Size(cm)	Material	
WI-487	Customize	Cotton	
and the second second			



Articl No.	Size	Materia l
WI-478	Customize	Nylon
	Economy nylon with chain ans swivel	



Articl No.	Size(cm)	Material
WI-480	Customize	Alu
	cattle hobble- leather	



Articl No.	Size(cm)	Material
WI-485	Customize	Cotton
	cotton rope	



ECONOMY NYLON FLAT ROPE WITH SNAP Size(cm) Customize plain lead 1.8meter, with snap Artic No. Material Nylon

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale









Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

HOOF CARE INSTRUMENTS





Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale






Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale






EQUINE DENTAL INSTRUMENTS











WI-15015

WI-15017

Total Length

15"

WI-15018





GRECO PERIODONTAL FORCEPS - MANDIBULAR

Articl No.	Material	Total Length
WI-15019	s/s	10"



LIPCLIP FOR MANIPULATING LIPS AND CHEEKS

Articl No.	Material	Total Length
WI-15021	s/s	8"



Artici No.	Material	l otal Length
WI-15023	s/s	8"



can also customise Sizes to suit your requirements!

Articl No.	Material	Total Length
WI-15025	s/s	8"/cus



LANG AUTOSTATIC EQUINE VESTIBULAR RETRACTOR

Articl No.	Material	Total Length
WI-15028	s/s	8"



EQUINE DENTAL FRAGMENT DRILL - 4-PIECE SET

(COMPL	ETE)	

Articl No.	Material	Total Length
WI-15030	s/s	19"



DOUBLE ARTICULATED GOUGE, 8MM TIP

Artic No.	Material	Total Length
WI-15020	s/s	15"/cus






Articl No.	Size(mm,in)	Total Length
WI-15024	Handle 11.5"	25"
Powerful compound action	Breakdown model for easy storage	Stainless steel



EQUINE DENTAL ROOT FRAGMENT FORCEPS

Articl No.	Material	Total Length
WI-15026	s/s	19"




MOLAR ROOT FRAGMENT FORCEPS BULB HANDLE

Articl No.	Material	Total Length
WI-15027	s/s	19"



DENTAL FORCEPS CURVED

Articl No.	Material	Total Length
WI-15029	s/s	5.9"/cus



	6-PIECE SYNDESMOTOME SET	
Articl No.	Material	Thickness
WI-15031-40	s/s	40mm
WI-15031-60		60mm
WI-15031-80		80mm



WI-15032-24

requirements!

Sizes to suit your

can also customise

WI-15035-11

WI-15035-10






300mm/7.9"

165mm

RESORPTIVE LESION PROBE, CATS

Large :24mm/0.9"

Articl No.	Size(mm,in)	Total Length
WI-15033	Dual ended	165mm





11 mm / 0.43", angle 145°

10 mm / 0.4", angle 160°

PROBE WITH EYE DIAMETER 2MM

Articl No.	Size(mm,in)	Total Length	
WI-15036	1mm	4 1/2"	
Probe with Eye 4 1/2" is a versatile veterinary instrument ideal for several surgical			
	procedures		

EQUINE UTERINE LAVAGE PROBE

Articl No.	Size(mm,in)	Total Length
WI-15037	1mm	4 1/2"

CHAMBER'S EQUINE CATHETER

Articl No.	Size(mm,in)	Total Length
WI-15038	22 × 2 × 0.5 in	22"
Stainless steel with :	slightly curved tip. Finger rest, lu	uer slip adaptor.
The preferred	instrument for flushing the guttu	ıral pouch



DOUBLE-CURVED NEEDLES

Articl No.	Size(mm,in)	Total Length
WI-15039		22"
	Large Double-Curved Needle. 5". 12/pk.	
	J0110sm Medium Double-Curved Needle, 3.25"	







TENOTOME KNIFE, SHARP, STRAIGHT

WI-15041

Articl No.	Size(mm,in) Total Leng	
WI-15042	Blunt and straight 5cm x 1/2cm blade.	165mm




TENOTOME KNIFE, BLUNT, CURVEGHT

Articl No.	Size(mm,in)	Total Length
WI-15043	Blunt and straight 5cm x 1/2cm blade.	165mm



PARKER'S TENOTOME KNIFE

Articl No.	Size(mm,in)	Total Length	
WI-15044	Small, blunt and curved 15 x 3mm blade.	165mm	





THREE PRONG FORCEPS

Artic No.	Materia	Total Length
WI-15046	s/s	11"/cus



Articl No.	Material	Dia	Total Length
WI-15047-35	s/s	35 mm	11"
WI-15047-45	s/s	45 mm	12 1/2"



STILLE OSTEOTOME 8" STRAIGHT 8"

Articl No.	Material	Cutting width
WI-15048-4	s/s	4mm
WI-15048-6		6mm
WI-15048-10		10mm
WI-15048-14		14mm
WI-15048-18		18mm
WI-15048-22		22mm-24mm






















Sizes to suit your requirements!

can also customise



6mm wide long stainless steel flat elevators - come as a set of Straight. Curve and Concave angles. 10cm wide stubby ergonomic handle elevators - Straight, Curve and Concave angles.



DENTAL FLOAT RASP ADJUSTABLE STRAIGHT ANGLED DOUBLED HORSE KIT

Articl No. Total Length WI-15059 Stainless steel wolf tooth elevator kit with ergonomic non-slippery wood handle.



EQUINE DENTAL BASIC BURGESS SET Artic No. Total Length WI-15060 Stainless steel wolf tooth elevator kit with ergonomic

non-slippery handle.

can also customise Sizes to suit your requirements!

EQUINE DENTAL STARTER KIT D WITH MILLENNIUM SPECULUM

	LL STARTER KIT D WITH
Articl No.	Total Length
WI-15061	22"
This Ctarter Vit C sens	into of





SET OF 8 STUBBY	HANDLE ELEVATORS
rtic i No.	Total Length

· Winged Elevator 1mm Stubby Handle Winged Elevator 2mm Stubby Handle

Winged Elevator 3mm Stubby Handle

Winged Elevator 4mm Stubby Handle

Winged Elevator 5mm Stubby Handle

Winged Elevator 6mm Stubby Handle

Straight Tip Elevator 1mm Stubby Handle

Sraight Tip Elevator 2mm Stubby Handle



7" HANDY FORCEPS SET			
Total Length			
22"			
7" Offset Wolf/Incisor Teeth Forceps			
7" Curved Wolf/Incisor Teeth Forceps			
7" Wolf Incisor Tooth Spreader Forceps			



SET OF LONG HEAD DENTAL PICKS

Articl No. Total Length WI-15064

 Provide great assistance in lifting caps and removal of food between teeth.

Neoprene handle picks.

STAINLESS STEEL DUCKET & DRUSH		
Articl No.	Litre	
WI-15065	12	
101 04-1-1 041 01	Daniel alex in divides with the base	





















Article Size Strap Type Leather Brown can also customise Sizes to suit your requirements!


Nylon ENOMICAL CASTING MATERIAL S/S ALSO AVAILABLE

ECONOMICAL CASTING MATERIAL S/S



can also customise Sizes to suit your requirements!








BIOTHANE STRAPS FOR CLIMAX SPECULUM PONY Size (Inch)









WI-15070






Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

MOUTH GAGS -SCALERS







Articl No

Artic No





Articl No. Material



DRINKWATER MOUTH GAGArticl No. Size(cm) Material

requirements!

customise Sizes to suit

can also

Articl No.

WI-418 Standard s/s
An efficient and reliable gag for use in cattle when passing a stomach tube or examining the mouth. When properly fixed between the upper and lower molar teeth, is self-retaining.





Size(mm.in)

Total Length

WI-12003	Dual ended	170mm
	tions addinates	
DA	RBY PERRY SCALER CHISEL	

Articl No Size(mm.in) Total Length WI-15075 Dual ended 170mm



JACQUETTE SCALER DOUBLE ENDED Size(mm,in) Total Length Dual ended 170mm






Size

Material

WI-419 Standard s/s A full mouth speculum for bovine use. The gag is easily inserted and has a self-locking mechanism to allow full visualization of the bovine oral cavity



STRAIGHT BLADE, SUPRAGINGIVAL, DUAL ENDED Size(mm.in) Total Length

WI-12004 170mm Dual ended

JACQUETTE SCALER DOUBLE ENDED

Total Length WI-15076 Dual ended 170mm Jacquette Scaler Double Ended 2/3 is used to remove the calculus from the surface of gingival area.

SICKLE SCALER Size(mm,in) Total Length WI-15078 Dual ended 170mm

Sickle Scaler is an veterinary dental instrument aid in the removal of unwanted supragingival

JACQUETTE SCALER DOUBLE ENDED

Size(mm,in) Total Length WI-15080 Jacquette Scaler Double Ended 2/3 is used to remove the calculus from the surface of gingival area.

Customized Packing, Product Sizes is available for Customer's Convenience

Articl No

WI-15077





DENTAL ELEVATOR STRAIGHT TIP STUBBY HANDLE


Articl No.	Size(mm,in)	Total Length
WI-15081	2mm	170mm



DENTAL ELEVATOR STRAIGHT TIP STUBBY HANDLE

Articl No.	Size(mm,in)	Total Length
WI-15082	1mm	170mm







170mm

WINGED DENTAL ELEVATORS Articl No. Size(mm,in) Total Length WI-15085 170mm



WINGED DENTAL ELEVATORS				
Articl No.	Size(mm,in)	Total Length		
WI-15086	4mm	170mm		





WINGED DENTAL ELEVATORS			
	Articl No.	Size(mm,in)	Total Length
	WI-15088	6mm	170mm

NOTE:All Elevators Especially designed for small animal dental work, the tips have short wing blades which curve upward, further than standard elevators. This improves instrument control and following tooth conformation.

- · Narrow neck improves visibility
- · Short shaft for better control

WI-15084



WI-15089 Smaller Feline Dental Extractor with spring loaded handles.



FELINE DENTAL EXTRACTOR

ArticI No.	Materia	Total Length
WI-15090	s/s	5 1/2"
This extractor is smaller an	d lighter weight with special	jaws that close together
along their whole interface. Especially designed for small dog and feline teeth or		
	tooth fragments	



Dental Forceps for small animal tooth extraction.



can also customise Sizes to suit your requirements!

UPPER JAW – ANGLED HEAD

	Articl No.	Material	Total Length
	WI-15092	s/s	7"
Dental Forcens for small animal tooth extraction			action





Small Cats and fractured tooth tips, 2mm head, 6



CANINE DENTAL ELEVATORS

Artici No.	Size tip	rotai Length
WI-16002	3mm	6"
	Medium. Mid-sized dogs. 3mm head. 6".	



Customized Packing, Product Sizes is available for Customer's Convenience







WORKING GLOVE (SPLIT LEATHER) Article Size MM Material 360

Leather

WI-6000



WORKING GLOVE (SPLIT LEATHER) Article Size MM Materia 360



WORKING GLOVE RUBBER CUFF (SPLIT LEATHER) ticle Size Material Article

Free

Leather

WI-6003



WORKING GLOVE RUBBER CUFF (SPLIT LEATHER) icle Size Material Article WI-6004 Leather Free

Sizes to suit your requirements!

WORKING GLOVE RUBBER CUFF (SPLIT LEATHER) Article Material Size



HEAVY DUTY DOUBLE PALM GLOVES Size Material Leather WI-6006 Free



LEATHER WELDING GLOVES Article Size Material Leather WI-6007 Free





HEAT RESISTANT OVEN MITT LEATHER
Article Size Material WI-6009 Leather



INDUSTRIAL LEATHER WELDING GLOVES Article Size Material WI-6010



INDUSTRIAL LEATHER WELDING GLOVES Article Size Material WI-6011 Leather



WORKING GLOVE RUBBER CUFF (SPLIT LEATHER) ticle Size Material Article Free

	WI-60
_	HOR

WI-1441

WI-1442

SE BOOTS / BANDAGE ROLL

Leather



WORKING GLOVE COTTON CUFF (SPLIT LEATHER)
Size Material





SCHOOLING LONG CHAP All sizes available

NI-1439 (Suede Leather)

Artic l e	Size	Color	Materia
W l-1 439	L	B l ack	Suede



SHOT GUN LONG CHAP All sizes available (Suede Leather) Article Size Color Mater Materia Black **WI-1**440



SPL<u>I</u>NT HORSE BOOT FRONT LEGS, VELCRO CLOSURE Article Color Size Brown

Black

Customized Packing, Product Sizes is available for Customer's Convenience



GALVANISED YAR SCRAPER WINGED WITH REINFORCE TOP BROOM HOLDER

Article No	Size Inch	Finshing	Material
WI-1652-18	18"	Zink Plate	M/STEEL
WI-1652-22	22"	Zink Plate	M/STEEL
WI-1652-24	24"	Zink Plate	M/STEEL
WI-1652-26	26"	Zink Plate	M/STEEL
WI-1652-28	28"	Zink Plate	M/STEEL
WI-1652-30	30"	Zink Plate	M/STEEL
WI-1652-32	32"	Zink Plate	M/STEEL
WI-1652-34	34"	Zink Plate	M/STEEL



GALVANISED YARD SCRAPER CURVED WITH REINFORCE TOP **BROOM HOLDER**

Article No	Size Inch	Finshing	Material
WI-1654-18	18"	Zink Plate	M/STEEL
WI-1654-22	22"	Zink Plate	M/STEEL
WI-1654-24	24"	Zink Plate	M/STEEL
WI-1654-26	26"	Zink Plate	M/STEEL
WI-1654-28	28"	Zink Plate	M/STEEL
WI-1654-30	30"	Zink Plate	M/STEEL
WI-1654-32	32"	Zink Plate	M/STEEL
WI-1654-34	34"	Zink Plate	M/STEEL



GALVANISED YARD SCRAPER STRAIGHT WITH REINFORCE TOP BROOM HOLDER

Article No	Size Inch	Finshing	Material
WI-1655-18	18"	Zink Plate	M/STEEL
WI-1655-22	22"	Zink Plate	M/STEEL
WI-1655-24	24"	Zink P l ate	M/STEEL
WI-1655-26	26"	Zink Plate	M/STEEL
WI-1655-28	28"	Zink Plate	M/STEEL
WI-1655-30	30"	Zink Plate	M/STEEL
WI-1655-32	32"	Zink Plate	M/STEEL
WI-1655-34	34"	Zink Plate	M/STEEL



can also customise Sizes to suit your requirements!

Article No	Size Inch	Finshing	Material
WI-1656-18	18"	Zink Plate	M/STEEL
WI-1656-22	22"	Zink Plate	M/STEEL
WI-1656-24	24"	Zink P l ate	M/STEEL
WI-1656-26	26"	Zink Plate	M/STEEL
WI-1656-28	28"	Zink Plate	M/STEEL
WI-1656-30	30"	Zink Plate	M/STEEL
WI-1656-32	32"	Zink Plate	M/STEEL
WI-1656-34	34"	Zink Plate	M/STEEL



STRAIGHT SQUEEGEE YARD

Article No	SCRASTER Inch	Finshing	Material
WI-1659-18	18"	Zink Plate	M/STEEL
WI-1659-22	22"	Zink Plate	M/STEEL
WI-1659-24	24"	Zink P l ate	M/STEEL
WI-1659-26	26"	Zink Plate	M/STEEL
WI-1659-28	28"	Zink Plate	M/STEEL
WI-1659-30	30"	Zink P l ate	M/STEEL
WI-1659-32	32"	Zink Plate	M/STEEL
WI-1659-34	34"	Zink Plate	M/STEEL





	SCRAPER HOLDER	
Artic l e	Siz	Material
19001-708	Standard	Metal



(WJ-1659)	SPARE	RUBBER	FOR	ALL	TYPES/SIZES

A SICIRAIRERS	Size Inch	Material
WI-1659-18	18"	Rubber
WI-1659-22	22"	Rubbe
WI-1659-24	24"	Rubbe
WI-1659-26	26"	Rubbe
WI-1659-28	28"	Rubbe
WI-1659-30	30"	Rubbe
WI-1659-32	32"	Rubbe
WI-1659-34	34"	

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





DOUBLE CEE RING (STAINLESS STEEL) Artic**l**e No Material

SS WI-7750 Standard



BUCKLE FOR SADDLE (STAINLESS STEEL

Artic l e No	Material	Size
WI-7751	SS	Standard
VA/I 77E2	Brace	Ctondoud



BUCKLE FOR SADDLE (BRASSI)

Exclusively designed

Article No Material Size

WI-7753	SS	Standard
WI-7754	Brass	Standard



DEE RING (Brass)

Article No	Material	(mm)	(Inch)
WI-7755=1	Brass	40	1-1/2
WI-7755-2		50	2



TACK WALL RACK WITH SWIVEL (CS/POWDER COATED) Hooks

WI-7756	4	Black



	RIGGING PLATE (Brass)	
Article	Material	Siz

Article	Materiai	Size
WI-7757	Brass	Standard




C RING BEVELED (STAINLESS STEEL)

Article	Material	Size	Size	
No.		(mm)	(Inch)	
WI- 7758	S/S	90	3-1/2	



C RING (STAINLESS STEEL)

Artic l e	Material	Size	Size
No.		(mm)	(Inch)
WI-7759	S/S	90	3-1/2



DEE RING (STAINLESS STEEL)

Article No	Material	Size (mm)	Size (Inch)
WI-7760	s/s	40	1-1/2
WI-7761		50	2



OVAL DEE RING LITTLE BELV 4-HOLES (STAINLESS STEEL)

Artic l e No.	Material	Size Inch
WI-7762	SS	3



BUCKLE FOR SADDLES (Stainless Steel)

Article No.	Material	Size (mm)
WI-7763	SS	40
WI-7764	Brass	40



BUCKLE FOR SADDLES (BRASS)

Article No.	Material	Size (mm)
WI-7765	SS	40
	Brass	40

can also customise Sizes to suit your requirements!



FLAT DEE RING LITTLE ROUND EDGE (STAINLESS STEEL)

Artic l e No.	Materia l	Size (mm)
VVI-7766	SS	76



ROLLER BUCKEL WITH TONGUES (STAINLESS STEEL)

	Article No.	Materia l	Tongues	Size (mm)	Size (Inch)
	WI-7767	SS	Double	50	2
	WI-7768	SS	Sing l e	50	2
ı	WI-7769	SW/Iron	Single	50	1-1/2



BUCKEL WITH TONGUES

(BRASS), (BRASS)				
Article	Material	Tongues	Size	Size
No. WI-7770	Brass	Single	(mm) 50	(Inch)
WI-7771	SS	Single	50	2



(BRASS) (STAINLESS STEEL)

Article	Material	Tongues	Size	Size	
No. MI-7771	Brass	Sing l e	(mm) 50	(Inch) 2	
M-7772	SS	Sing l e	50	2	



BLEV BUCKLE WITH TONGUE (STAINLESS STEEL)

Article No.	Material	Size (mm)	Size (Inch
WI-7773	SS	40	2



BLEV BUCKLE WITH TONGUE (Stainless Steel)

Article No.	Materia l	Size (mm)	Size (Inch)
WI-7774	SS	50	2



BLEV BUCKLE WITH TONGUE (Stainless Steel)

Artic l e No	Material	Size (mm)	Size (I nch)
WI-7775	SS	50	2



PLATE FOR SADDLE (Stainless Steel)

Artic l e No	Materia	Size
WI-7776	SS	(Inch) 2 -1 /2



BREAST COLLAR BUCKLE WITH LONG PLATE (BRASS)

Article No.	Materia l	Size (Inch)
WI-7777	BRASS	1



BREAST COLLAR BUCKLE WITH PLATE (Stainless Steel)

Artic l e No.	Material	Size (I nch)
WI-7778	S/S	1
		1-1/4



SADDLE WALL MOUNT RACK (CS/POWDER COATED) Article Color




TACK WALL RACK WITH SWIVEL (CS/POWDER COATED)

WI-7780

Custom sizes and finishes available upon request, Minimum order quantities may apply. NB: Images not to scale







RED,BLACK,GREEN





DEE RING DEEP BEVELED (S/S)

Artic l e No.	Materia l	Size (Inch)
WI-7781	SS	3-1/2



DEE RING LITTLE BEVELED

	(OTAINELESS STEEL)	
Article No.	Material	Size (Inch)
WI-7782	SS	3
	SS	3-1/2



DEE RING DEEP (STAINLESS STEEL)				
Article No	Material	Size (Inch)		
WI-7783	SS	2-1/2		
WI-7784	SS	3		
WI-7785	SS	3-1/2		



DEE RING (STAINLESS STEEL)

	222 ::::: (0:::::::220 0::222)		
Article No.	Materia l	Size (I nch)	
WI-7786	SS	1-1/2	
WI-7787	SS	2	
WI-7788	SS	2-1/2	
WI-7789	SS	3	
WI-7790	SS	3-1/2	



ROLLER BUCKLE FLAT SINGLE TUNG (SWEET IRON) SET OF 2

S	Article	Material	Size (cm)
Jeni	WI-7791	BLACK	4-1/2



ROLLER BUCKLE FLAT SINGLE TUNG (SWEET IRON) SET OF 2

Article No	Material Material	Size (cm)
WI-7792	C/S	4



STRAP BUCKLE LITTLE CURVED

	(BRASS))	
Article	Materia l	Size (I nch)
WI-7793	BRASS	Standard



STRAP BUCKLE LITTLE CURVED

Article	(Stainless Steel) Material	Size
Article	watenai	(Inch)
WI-7794	S/S	Standard



HALF MOON KNIFE WOOD HANDLE WITH LEATHER COVER (STAINLESS STEEL)

5	Artic l e	Size	Color
S	No.	(mm)	
3	WI-7795	115	Brown



FALL DOWN PIN STAPLE - NICKEL

Article	Color	Size (Inch)
WI-7796	BLACK	1



ADJUSTABLE STIRRUP BARS (STAINLESS STEEL)

Article .	туре
VI-7797	Adjustable



STIRRUP BARS STANDARD (CS/Nickel Plated)

With Hole &	Thread Available Also
WI-7798	Without Hole
Artic l e	Туре
,	,



FLAT DIE CAST TRI GLIDE NICKEL PLATED

Article	Size	Color
No. WI-7799	(mm) 25-38	Satin



D SHACKLE STAINLESS STEEL

Article No.	Size	Color
WI-7800	(mm) 6-10	Satin



HEAVY DIE CAST DOUBLE EYE SWIVEL

IILAVI DIL	ONO! DOODLE LI	
Article	Size	Color
No.	(mm)	
WI-7801	10-12	Satin
	WI-5025	,



QUICK LINKSSTAINLESS STEEL

Article	Size	Color
No.	(mm)	
WI-7802	8	Satin



J-PLATE HEAVY RIGGING (STAINLESS

STEEL)			
Artic l e	Material	Size	
WI-7803	SS	Standard	



MOUNTING PLIER WITH HAMMER

(STAINLESS STEEL)			
Article	Size	Color	
No.	(mm)		
WI-7804	200-240	Satin	



CUR Artic l e	B CHAINS WITHOUT HOOKS Material	Links
WI-5025	Sweet	24
WI-5026	C/S	14
WI-5027	S/S	14
WI-5028	N/P	24
WI-5029	BRASS	24



DEE RING DEEP (STAINLESS STEEL)

Artic l e No	Material	Size (MM)
	SS	78
WI-7805	SS	80
WI-7806	SS	84
WI-7807	SS-Brass	116

Customized Packing, Product Sizes is available for Customer's Convenience











Article	HALSTE	MOSQUITO	CURVED T	EETH Length
WI-10001-	02	1X2	CVD	11 CM / 5.5 INCH
WI-10001-	03	1X2	CVD	12.5 CM / 4.9INCH
WI-10001-	04	1X2	CVD	14 CM / 5.5 INCH
WI-10001-	05	1X2	CVD	15 CM / 5.9 INCH
WI-10001-	06	1X2	CVD	16 CM / 6.3 INCH
WI-10001-	07	1X2	CVD	17 CM / 6.8 INCH
WI-10001-	08	1X2	CVD	18 CM / 7.1 INCH
10001		1X2	CVD	20 CM / 7.9 INCH



HALSTED MOSQUITO CURVED			
Article	Teeth	Jaw	Length
WI-10002-02	SERRATED	CVD	11 CM / 5.5 INCH
WI-10002-03	SERRATED	CVD	12.5 CM / 4.9 NCH
WI-10002-04	SERRATED	CVD	14 CM / 5.5 INCH
WI-10002-05	SERRATED	CVD	15 CM / 5.9 INCH
WI-10002-06	SERRATED	CVD	16 CM / 6.3 INCH
WI-10002-07	SERRATED	CVD	17 CM / 6.8 INCH
WI-10002-08	SERRATED	CVD	18 CM / 7.1 INCH
WI-10002-08	SERRATED	CVD	20 CM / 7.9 INCH



HALSTED	MOSOUIT	O STRAIGH	T TEETH
HALSIED	MOSCOLI	O STRAIGH	

Artic l e	Teeth	Jaw	Length
WI-10003-02	1X2	STR	11 CM / 5.5 INCH
WI-10003-03	1X2	STR	12.5 CM / 4.9 INCH
WI-10003-04	1X2	STR	14 CM / 5.5 INCH
WI-10003-05	1X2	STR	15 CM / 5.9 INCH
WI-10003-06	1X2	STR	16 CM / 6.3 INCH
WI-10003-07	1X2	STR	17 CM / 6.8 INCH
WI-10003-08	1X2	STR	18 CM / 7.1 INCH
	1X2	STR	20 CM / 7.9 INCH



HALSTED MOSQUITO STRAIGHT

can also customise Sizes to suit your requirements!

Article	Teeth	Jaw	Length
WI-10004-02		STR	11 CM / 5.5 INCH
WI-10004-03		STR	12.5 CM / 4.9INCH
WI-10004-04		STR	14 CM / 5.5 INCH
WI-10004-05		STR	15 CM / 5.9 INCH
WI-10004-06		STR	16 CM / 6.3 INCH
WI-10004-07		STR	17 CM / 6.8 INCH
WI-10004-08		STR	18 CM / 7.1 INCH
WI-10004-09		STR	20 CM / 7.9 INCH



Article	reem	Jaw	Length
WI-10005-02		CVD	11 CM / 5.5 INCH
WI-10005-03		CVD	12.5 CM / 4.9INCH
WI-10005-04		CVD	14 CM / 5.5 INCH
WI-10005-05		CVD	15 CM / 5.9 INCH
WI-10005-06		CVD	16 CM / 6.3 INCH
WI-10005-07		CVD	17 CM / 6.8 INCH
WI-10005-08		CVD	18 CM / 7.1 INCH



DE BAKEY-MOSQUITO FORCEPS, CURVED

Article	Teeth	Jaw	Length
WI-10006-02		CVD	11 CM / 5.5 INCH
WI-10006-03		CVD	12.5 CM / 4.9INCH
WI-10006-04		CVD	14 CM / 5.5 INCH
WI-10006-05		CVD	15 CM / 5.9 INCH
WI-10006-06		CVD	16 CM / 6.3 INCH
WI-10006-07		CVD	17 CM / 6.8 INCH
WI-10006-08		CVD	18 CM / 7.1 INCH
WI-10006-09		CVD	20 CM / 7.9 INCH

WE HAVE A WIDE VARIETY OF SURGICAL INSTRUMENTS. IF YOU WANT TO GET SOMETHING OTHER THAN THE VARIETY GIVEN IN THIS CATALOG, PLEASE **CONTACT US. THANK YOU**

20 CM / 7.9 INCH

WI-10005-09





DE BAKEY-MOSOUITO FORCEPS, STRAIGHT

Article	Article Teeth Jaw				
	10001	Jaw	Length		
WI-10007-02		STR	11 CM / 5.5 INCH		
WI-10007-03		STR	12.5 CM / 4.9INCH		
WI-10007-04		STR	14 CM / 5.5 INCH		
WI-10007-05		STR	15 CM / 5.9 INCH		
WI-10007-06		STR	16 CM / 6.3 INCH		
WI-10007-07		STR	17 CM / 6.8 INCH		
WI-10007-08		STR	18 CM / 7.1 INCH		
WI-10007-09		STR	20 CM / 7.9 INCH		



MICRO MOSQUITO ARTERY FORCEPS, CURVED

Article	Teeth	Jaw	Length
WI-10008-02		CVD	11 CM / 5.5 INCH
WI-10008-03		CVD	12.5 CM / 4.9INCH
WI-10008-04		CVD	14 CM / 5.5 INCH
WI-10008-05		CVD	15 CM / 5.9 INCH
WI-10008-06		CVD	16 CM / 6.3 INCH
WI-10008-07		CVD	17 CM / 6.8 INCH
WI-10008-08		CVD	18 CM / 7.1 INCH
WI-10008-09		CVD	20 CM / 7.9 INCH



MICRO MOSQUITO ARTERY FORCEPS, STRAIGHT

can also customise Sizes to suit your requirements!

Article	Teeth	Jaw	Length
WI-10009-02	1X2	STR	11 CM / 5.5 INCH
WI-10009-03	1X2	STR	12.5 CM / 4.9INCH
WI-10009-04	1X2	STR	14 CM / 5.5 INCH
WI-10009-05	1X2	STR	15 CM / 5.9 INCH
WI-10009-06	1X2	STR	16 CM / 6.3 INCH
WI-10009-07	1X2	STR	17 CM / 6.8 INCH
WI-10009-08	1X2	STR	18 CM / 7.1 INCH
WI-10009-09	1X2	STR	20 CM / 7.9 INCH




KELLY ARTERY FORCEPS CURVES

Article	Teeth	Jaw	Length
WI-10010-02		CVD	11 CM / 5.5 INCH
WI-10010-03		CVD	12.5 CM / 4.9INCH
WI-10010-04		CVD	14 CM / 5.5 INCH
WI-10010-05	***	CVD	15 CM / 5.9 INCH
WI-10010-06		CVD	16 CM / 6.3 INCH
WI-10010-07		CVD	17 CM / 6.8 INCH
WI-10010-08		CVD	18 CM / 7.1 INCH
WI-10010-09		CVD	20 CM / 7.9 INCH



Article	Teeth	Jaw	Length
WI-10011-02		STR	11 CM / 5.5 INCH
WI-10011-03		STR	12.5 CM / 4.9INCH
WI-10011-04		STR	14 CM / 5.5 INCH
WI-10011-05		STR	15 CM / 5.9 INCH
WI-10011-06		STR	16 CM / 6.3 INCH
WI-10011-07		STR	17 CM / 6.8 INCH
WI-10011-08		STR	18 CM / 7.1 INCH
WI-10011-09		STR	20 CM / 7.9 INCH



PEAN DRESSING FORCEPS, CURVED

FEAN DRESSING FORCEFS, CORVED				
Article	Teeth	Jaw	Length	
WI-10012-02		CVD	11 CM / 5.5 INCH	
WI-10012-03		CVD	12.5 CM / 4.9INCH	
WI-10012 - 04		CVD	14 CM / 5.5 INCH	
WI-10012-05		CVD	15 CM / 5.9 INCH	
WI-10012-06		CVD	16 CM / 6.3 INCH	
WI-10012-07		CVD	17 CM / 6.8 INCH	
WI-10012-08		CVD	18 CM / 7.1 INCH	
WI-10012-09		CVD	20 CM / 7.9 INCH	

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

can also customise Sizes to suit your requirements!

www.hnanavet.com





PEAN DRESSING FORCEPS, STRAIGHT

Article	Teeth	Jaw	Length
WI-10013-02		STR	11 CM / 5.5 INCH
WI-10013-03		STR	12.5 CM / 4.9INCH
WI-10013-04		STR	14 CM / 5.5 INCH
WI-10013-05		STR	15 CM / 5.9 INCH
WI-10013-06		STR	16 CM / 6.3 INCH
WI-10013-07		STR	17 CM / 6.8 INCH
WI-10013-08		STR	18 CM / 7.1 INCH
WI-10013-09		STR	20 CM / 7.9 INCH



ARTERY FORCEPS, CURVED TEETH Teeth Jaw Length ROCHESTER Article Length WI-10014-02 1X2 CVD 11 CM / 5.5 INCH WI-10014-03 1X2 CVD 12.5 CM / 4.9INCH WI-10014-04 CVD 1X2 14 CM / 5.5 INCH WI-10014-05 1X2 CVD WI-10014-06 1X2 CVD 16 CM / 6.3 INCH WI-10014**-**07 1X2 CVD

CVD

CVD

18 CM / 7.1 INCH

20 CM / 7.9 INCH

can also customise Sizes to suit your requirements!

1X2

1X2

WI-10014-08

WI-10014-09



ROCHESTE	R ARTERY F	ORCEPS, STRAIGHT	TEETH
Artic l e	Teeth	Jaw	Length

Article	Teeth	Jaw	Length
WI-10015-02	1X2	STR	11 CM / 5.5 INCH
WI-10015-03	1X2	STR	12.5 CM / 4.9INCH
WI-10015-04	1X2	STR	14 CM / 5.5 INCH
WI-10015-05	1X2	STR	15 CM / 5.9 INCH
WI-10015-06	1X2	STR	16 CM / 6.3 INCH
WI-10015-07	1X2	STR	17 CM / 6.8 INCH
WI-10015-08	1X2	STR	18 CM / 7.1 INCH
WI-10015-09	1X2	STR	20 CM / 7.9 INCH



Article	Teeth	Jaw	Length
WI-10016-02		CVD	11 CM / 5.5 INCH
WI-10016-03		CVD	12.5 CM / 4.9INCH
WI-10016-04		CVD	14 CM / 5.5 INCH
WI-10016-05		CVD	15 CM / 5.9 INCH
WI-10016-06		CVD	16 CM / 6.3 INCH
WI-10016-07		CVD	17 CM / 6.8 INCH
WI-10016-08		CVD	18 CM / 7.1 INCH
WI-10016-09		CVD	20 CM / 7.9 INCH
WI-10016-10		CVD	26 CM / 10.4 INCH
WI-10016-11		CVD	28 CM / 11.2 INCH



NOONEOTEN EAST ANTEN TO NOET OF THATCH				
	Article	Teeth	Jaw	Length
	WI-10017-02		STR	11 CM / 5.5 INCH
	WI-10017-03		STR	12.5 CM / 4.9INCH
	WI-10017 - 04		STR	14 CM / 5.5 INCH
	WI-10017-05		STR	15 CM / 5.9 INCH
	WI-10017-06		STR	16 CM / 6.3 INCH
	WI-10017-07		STR	17 CM / 6.8 INCH
	WI-10017-08		STR	18 CM / 7.1 INCH
	WI-10017 - 09		STR	20 CM / 7.9 INCH
	WI-10017-10		STR	26 CM / 10.4 INCH
	WI-10017-11		STR	28 CM / 11.2 INCH



CRILE ARTERY FORCEPS, CURVED

Article	Teeth	Jaw	Length
WI-10018-02		CVD	11 CM / 5.5 INCH
WI-10018-03		CVD	12.5 CM / 4.9 NCH
WI-10018-04		CVD	14 CM / 5.5 INCH
WI-10018-05		CVD	15 CM / 5.9 INCH
WI-10018-06		CVD	16 CM / 6.3 INCH
WI-10018-07		CVD	17 CM / 6.8 INCH
WI-10018-08		CVD	18 CM / 7.1 INCH
WI-10018-09		CVD	20 CM / 7.9 INCH

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

GENARAL SURGICAL INSTRUMENTS





CRILE ARTERY FORCEPS, CURVED TEETH

Article	Teeth	Jaw	Length
WI-10019-02	1X2	CVD	11 CM / 5.5 INCH
WI-10019-03	1X2	CVD	12.5 CM / 4.9INCH
WI-10019-04	1X2	CVD	14 CM / 5.5 INCH
WI-10019-05	1X2	CVD	15 CM / 5.9 INCH
WI-10019-06	1X2	CVD	16 CM / 6.3 INCH
WI-10019-07	1X2	CVD	17 CM / 6.8 INCH
WI-10019-08	1X2	CVD	18 CM / 7.1 INCH
WI-10019-09	1X2	CVD	20 CM / 7.9 INCH



CRILE ARTERY FORCEPS, STRAIGHT

Article	Teeth	Jaw	Length
WI-10020-02		STR	11 CM / 5.5 INCH
WI-10020-03		STR	12.5 CM / 4.9INCH
WI-10020-04		STR	14 CM / 5.5 INCH
WI-10020-05		STR	15 CM / 5.9 INCH
WI-10020-06		STR	16 CM / 6.3 INCH
WI-10020-07		STR	17 CM / 6.8 INCH
WI-10020-08		STR	18 CM / 7.1 INCH
WI-10020-09		STR	20 CM / 7.9 INCH



CRILE	ΑF	RTERY	FORCEPS,	TEETH

Artic l e	Teeth	Jaw	Length
WI-10021-02	1X2	STR	11 CM / 5.5 INCH
WI-10021-03	1X2	STR	12.5 CM / 4.9INCH
WI-10021-04	1X2	STR	14 CM / 5.5 INCH
WI-10021-05	1X2	STR	15 CM / 5.9 INCH
WI-10021-06	1X2	STR	16 CM / 6.3 INCH
WI-10021-07	1X2	STR	17 CM / 6.8 INCH
WI-10021-08	1X2	STR	18 CM / 7.1 INCH
WI-10021-09	1X2	STR	20 CM / 7.9 INCH



ALLIS BABY TISSUE /ORGAN HOLDING FORCEPS

Article	Teeth	Jaw	Length
WI-10022-02	3X4	STR	15 CM/ 5.9 INCH
WI-10022-03	3X4	STR	18 CM/ 7.1 INCH



ALL i s e	BABY TISSUE/OR	GAN HOLDING	FORCEPS
Article	Teeth	Jaw	Length
VI-10023-02	4X5	STR	15 CM/ 5.9 INC



ALLIS BABY TISSUE /ORGAN HOLDING FORCEPS Article Teeth Length

WI-10024-02 15 CM/ 5.9 INCH STR 18 CM/ 7.1 INCH WI-10024-03 5X6



ALLIS BABY TISSUE AND ORGAN HOLDING FORCEPS Article Teeth Jaw Length

AILICIE	recui	Jaw	Lengui
WI-10025-02		CVD	11 CM/ 5.5 INCH
WI-10025-03		CVD	14 CM/ 5.5 INCH

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

18 CM/ 7.1 INCH

WI-10023-03

STR





SUPERCUT OLSEN-HEGAR NEEDLE HOLDER

Article	Teeth	Jaw	Length
WI-10026-02	SER	STR	11 CM / 5.5 INCH
WI-10026-03	SER	STR	12.5 CM / 4.9INCH
WI-10026-04	SER	STR	14 CM / 5.5 INCH
WI-10026 - 05	SER	STR	15 CM / 5.9 INCH
WI-10026-06	SER	STR	16 CM / 6.3 INCH
WI-10026-07	SER	STR	17 CM / 6.8 INCH
WI-10026-08	SER	STR	18 CM / 7.1 INCH
WI-10026-09	SER	STR	20 CM / 7.9 INCH



SUPERCUT OLSEN-HEGAR NEEDLE HOLDER GOLD VERSION

Article	Teeth	Jaw	Length
WI-10027-02	SER	STR	11 CM / 5.5 INCH
WI-10027-03	SER	STR	12.5 CM / 4.9 NCH
WI-10027-04	SER	STR	14 CM / 5.5 INCH
WI-10027-05	SER	STR	15 CM / 5.9 INCH
WI-10027-06	SER	STR	16 CM / 6.3 INCH
WI-10027-07	SER	STR	17 CM / 6.8 INCH
WI-10027-08	SER	STR	18 CM / 7.1 INCH
WI-10027-09	SER	STR	20 CM / 7.9 INCH



MAYO HEGAR NEEDLE HOLDER TUNGSTEN CARBIDE

Article	Teeth	Jaw	Length
WI-10028-02	SER	STR	15 CM / 5.9 INCH
WI-10028-03	SER	STR	18 CM / 7.1INCH
WI-10028-04	SER	STR	20 CM / 7.9 INCH
WI-10028-05	SER	STR	23 CM / 9.0 INCH
WI-10028-06	SER	STR	26 CM / 10.2 INCH
WI-10028-07	SER	STR	31 CM / 12.2 INCH
WI-10028-08	SER	STR	37 CM / 14.5 INCH



can also customise Sizes to suit your requirements!

MATHIEU NEEDLE HOLDER

Artic l e	Teeth	Jaw	Length
WI-10029-02	SER	STR	14 CM / 5.5 INCH
WI-10029-03	SER	STR	17 CM / 6.8 INCH
WI-10029 - 04	SER	STR	20 CM / 7.9 INCH
WI-10029-05	SER	STR	24 CM / 9.4 INCH



GOLD MATHIEU NEEDLE HOLDER

Article	Teeth	Jaw	Length
WI-10030-02	SER	STR	14 CM / 5.5 INCH
WI-10030-03	SER	STR	17 CM / 6.8 INCH
WI-10030-04	SER	STR	20 CM / 7.9 INCH
WI-10030-05	SER	STR	24 CM / 9.4 INCH



NEEDLE HOLDER, DIAMOND DUST-COATED JAWS

Article	Teeth	Jaw	Length
WI-10031-02	SER	STR	14 CM / 5.5 INCH
WI-10031-03	SER	STR	17 CM / 6.8 INCH
WI-10031-04	SER	STR	20 CM / 7.9 INCH
WI-10031-05	SER	STR	24 CM / 9.4 INCH

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

GENARAL SURGICAL INSTRUMENTS





MICRO NEEDLE HOLDER CURVED, WITH LOCK, FEATHERLIGHT

Article	Teeth	Jaw	Length
WI-10032-02	FLAT	CVD	14 CM / 5.5 INCH
WI-10032-03	FALT	CVD	16 CM / 6.2 INCH
WI-10032-04	FLAT	CVD	18 CM / 7.0 INCH



MICRO NEEDLE HOLDER STRAIGHT, WITH LOCK, FEATHERLIGHT

Article	Teeth	Jaw	Length
WI-10033-02	FLAT	STR	14 CM / 5.5 INCH
WI-10033-03	FALT	STR	16 CM / 6.2 INCH
WI-10033-04	FLAT	STR	18 CM / 7.0 INCH



TC GOLD CASTROVIEJO NEEDLE HOLDER WITH LOCK

Article	Teeth	Jaw	Length
WI-10034-02	FLAT	CVD	14 CM / 5.5 INCH
WI-10034-03	FALT	CVD	16 CM / 6.2 INCH
WI-10034-04	FLAT	CVD	18 CM / 7.0 INCH



TC GOLD CASTROVIEJO NEEDLE HOLDER WITH LOCK

Article	Teeth	Jaw	Length
WI-10035-02	FLAT	STR	14 CM / 5.5 INCH
WI-10035-03	FALT	STR	16 CM / 6.2 INCH
WI-10035-04	FLAT	STR	18 CM / 7.0 INCH



can also customise Sizes to suit your requirements!

	DERF NEEDLE HOLDER			
Article	Teeth	Jaw	Length	
WI-10036-02	SER	STR	12 CM / 4.7 INCH	
WI-10036-03	SER	STR	14 CM / 5.5 INCH	




WI-10035-03	FALT	STR	16 CM / 6.2 INCH	70
WI-10035-04	FLAT	STR	18 CM / 7.0 INCH	nent
				customise Sizes to suit your requirements!
	BONE SCISS	ORS, 23 CM		can also
Article	Teeth	Jaw	Length	=
WI-10037-02	SHARP	STR	23 CM / 9.0 INCH	S
WI-10037-03	SHARP	STR	18 CM / 7.0 INCH	



SPENCERWELLS ARTERY FORCEPS STRAIGHT

Artic l e	Teeth	Jaw	Length
WI-10038-02	SERR	STR	12.5CM / 4.9 INCH
WI-10038-03	SERR	STR	16 CM / 6.2 INCH



SPONGE FORCEPS

Article	Teeth	Jaw	Length
WI-10039-02	SERR	STR	17.7 CM / 7 INCH
WI-10039-03	SERR	STR	20 CM / 8 INCH
WI-10039-04	SERR	STR	24 CM / 9.5 INCH




JONES CROSS ACTION TOWEL CLAMPS 3 1/2"

Article	Teeth	Jaw	Length
WI-10040-02			9 CM / 3.5 INCH

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale








Article TEETH Shaft Length Jaw SER WI-10042-02 3.5 &10 INCH



ATRAUMA INTESTINAL AND STOMACH FORCEPS Article TEETH Jaw Length SER STR WI-10043-02 33 CM/ 13 INCH WI-10043-03 23 CM/ 9 INCH SER STR



ATRAUMA INTESTINAL AND STOMACH FORCEPS				
Article	TEETH	Jaw	Length	
WI-10044-02	SER	CVD	33 CM/ 13 INCH	
WI-10044-03	SER	CVD	23 CM/ 9 INCH	



POST MORTEM SCISSOR					
Article	TEETH	Jaw	Length		
WI-10045-02	One side Serr	2" Cutting Blade	20CM/ 8 INCH		



ENTEROTOMY POST MORTEM SCISSORS BLUNT/PROBE					
Article	Tip	Blade	Length		
WI-10046-02	Blunt/prpbe	Straight	21CM/ 8.3 INCH		



LISTER BANDAGE SCISSORS				
	Article	Teeth	Blade	Length
	WI-10047-02	Blunt/prpbe	STR	14 CM / 5.5 INCH
	WI-10047-03	Blunt/prpbe	STR	16 CM / 6.3 INCH
	WI-10047-04	Blunt/prpbe	STR	15 CM / 6.0 INCH
	WI-10047-05	Blunt/prpbe	STR	18 CM / 7.25 INCH
	WI-10047-06	Blunt/prpbe	STR	20 CM / 8.0 INCH



Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

GENARAL SURGICAL INSTRUMENTS





LISTER BANDAGE SCISSORS 8" WITH ONE LARGE RING Article Tip Blade Length WI-10049-02 20CM/ 8.0 INCH Blunt/prpbe Straight



FINE OPERATING SCISSORS STRAIGHT Article Tip Blade Length SHARP STR WI-10051-02 11 CM/ 4.3 INCH WI-10051-03 SHARP 16 CM/ 6.5 INCH STR





STANDARD OPERATING SCISSORS

STANDARD OPERATING SCISSORS					
Article	Tip	Blade	Length		
WI-10055-02	S/B	STR	11.5 CM/ 4.5 INCH		
WI-10055-03	S/B	STR	13 CM/ 5.1 INCH		
WI-10055-04	S/B	STR	14.5 CM/ 5.7 INCH		
WI-10055-05	S/B	STR	15.5 CM/ 6.1 INCH		
WI-10055-06	S/B	STR	17.5 CM/ 7 INCH		





LISTER BANDAGE SCISSORS SERRATED

Article	Tip	Blade	Length
WI-10050-02	BLUNT/PRPBE	STR	9 CM/ 3.5 INCH
WI-10050-03	BLUNT/PRPBE	STR	16 CM/ 6.5 INCH



FINE OPERATING SCISSORS ANGLED					
Article	Tip	Blade	Length		
WI-10052-02	SHARP	STR	9 CM/ 3.5 INCH		
WI-10052-03	SHARP	STR	16 CM/ 6.5 INCH		



UNIVERSAL BANDAGE SCISSORS Tip Blade SHARP STR 14.5 CM/ 5.7 INCH WI-10054-02

STR

18 CM/ 7.1 INCH



SHARP

STANDARD OPERATING SCISSORS

Article	Пр	Blade	Length
WI-10056-02	B/B	CVD	11.5 CM/ 4.5 INCH
WI-10056-03	B/B	CVD	13 CM/ 5.1 INCH
WI-10056-04	B/B	CVD	14.5 CM/ 5.7 INCH
WI-10056-05	B/B	CVD	15.5 CM/ 6.1 INCH
WI-10056-06	B/B	CVD	17.5 CM/ 7 INCH

STANDARD OPERATING SCISSORS

Article	Tip	Blade	Length
WI-10057-02	B/B	STR	11.5 CM/ 4.5 INCH
WI-10057-03	B/B	STR	13 CM/ 5.1 INCH
WI-10057 - 04	B/B	STR	14.5 CM/ 5.7 INCH
WI-10057-05	B/B	STR	15.5 CM/ 6.1 INCH
WI-10057-06	B/B	STR	17.5 CM/ 7 INCH

Custom sizes and finishes available upon request, Minimum order quantities may apply. NB: Images not to scale

Article

WI-10054-03





STANDARD OPERATING SCISSORS

Article	Tip	Blade	Length
WI-10058-02	S/B	CVD	11.5 CM/ 4.5 INCH
WI-10058-03	S/B	CVD	13 CM/ 5.1 INCH
WI-10058-04	S/B	CVD	14.5 CM/ 5.7 INCH
WI-10058-05	S/B	CVD	15.5 CM/ 6.1 INCH
WI-10058-06	S/B	CVD	17.5 CM/ 7 INCH



STANDARD OPERATING SCISSORS

	Article	Tip	Blade	Length
	WI-10059-02	S/S	STR	11.5 CM/ 4.5 INCH
	WI-10059-03	S/S	STR	13 CM/ 5.1 INCH
	WI-10059-04	S/S	STR	14.5 CM/ 5.7 INCH
	WI-10059-05	S/S	STR	15.5 CM/ 6.1 INCH
	WI-10059-06	S/S	STR	17.5 CM/ 7 INCH



STANDARD OPERATING SCISSORS

Article	Tip	Blade	Length
WI-10060-02	S/S	CVD	11.5 CM/ 4.5 INCH
WI-10060-03	S/S	CVD	13 CM/ 5.1 INCH
WI-10060-04	S/S	CVD	14.5 CM/ 5.7 INCH
WI-10060-05	S/S	CVD	15.5 CM/ 6.1 INCH
WI-10060-06	S/S	CVD	17.5 CM/ 7 INCH



SUTURE SCISSORS, CURVED

Article	Tip	Blade	Length
WI-10061-02	SHARP	STR	9 CM/ 3.5 INCH
WI-10061-03	SHARP	STR	16 CM/ 6.5 INCH

can also customise Sizes to suit your requirements!



Article	Tip	Blade	Length
WI-10062-02	S/S	CVD	11.5 CM/ 4.5 INCH
WI-10062-03	S/S	CVD	13 CM/ 5.1 INCH
WI-10062-04	S/S	CVD	14.5 CM/ 5.7 INCH
WI-10062-05	S/S	CVD	15.5 CM/ 6.1 INCH
WI-10062-06	S/S	CVD	17.5 CM/ 7 INCH
WI-10062-02	S/S	CVD	22.5 CM/ 9 INCH
WI-10062-03	S/S	CVD	28CM/ 11 INCH



METZENBAUM SCISSORS

Article	Tip	Blade	Length
WI-10063-02	S/S	STR	11.5 CM/ 4.5 INCH
WI-10063-03	S/S	STR	13 CM/ 5.1 INCH
WI-10063-04	S/S	STR	14.5 CM/ 5.7 INCH
WI-10063-05	S/S	STR	15.5 CM/ 6.1 INCH
WI-10063-06	S/S	STR	17.5 CM/ 7 INCH
WI-10063-02	S/S	STR	22.5 CM/ 9 INCH
WI-10063-03	S/S	STR	28CM/ 11 INCH



METZENBAUM SCISSORS			
Article	Tip	Blade	Length
WI-10064-02	B/B	STR	11.5 CM/ 4.5 INCH
WI 10064 02	D/D	CTD	12 CM/ E 1 INCL

WI-10064-02	B/B	STR	11.5 CM/ 4.5 INCH
WI-10064-03	B/B	STR	13 CM/ 5.1 INCH
WI-10064-04	B/B	STR	14.5 CM/ 5.7 INCH
WI-10064-05	B/B	STR	15.5 CM/ 6.1 INCH
WI-10064-06	B/B	STR	17.5 CM/ 7 INCH
WI-10064-02	B/B	STR	22.5 CM/ 9 INCH
WI-10064-03	B/B	STR	28CM/ 11 INCH



METZENBAUM SCISSORS			
Article	Tip	Blade	Length
WI-10065-02	B/B	CVD	11.5 CM/ 4.5 INCH
WI-10065-03	B/B	CVD	13 CM/ 5.1 INCH
WI-10065-04	B/B	CVD	14.5 CM/ 5.7 INCH
WI-10065-05	B/B	CVD	15.5 CM/ 6.1 INCH
WI-10065-06	B/B	CVD	17.5 CM/ 7 INCH
WI-10065-02	B/B	CVD	22.5 CM/ 9 INCH
WI-10065-03	B/B	CVD	28CM/ 11 INCH

GENARAL SURGICAL INSTRUMENTS





METZENBAUM SCISSORS

Article	Tip	Blade	Length
WI-10066-02	S/B	STR	11.5 CM/ 4.5 INCH
WI-10066-03	S/B	STR	13 CM/ 5.1 INCH
WI-10066-04	S/B	STR	14.5 CM/ 5.7 INCH
WI-10066-05	S/B	STR	15.5 CM/ 6.1 INCH
WI-10066-06	S/B	STR	17.5 CM/ 7 INCH
WI-10066-02	S/B	STR	22.5 CM/ 9 INCH
WI-10066-03	S/B	STR	28CM/ 11 INCH



METZENBAUM SCISSORS

Article	Tip	Blade	Length
WI-10067-02	S/B	CVD	11.5 CM/ 4.5 INCH
WI-10067-03	S/B	CVD	13 CM/ 5.1 INCH
WI-10067-04	S/B	CVD	14.5 CM/ 5.7 INCH
WI-10067-05	S/B	CVD	15.5 CM/ 6.1 INCH
WI-10067-06	S/B	CVD	17.5 CM/ 7 INCH
WI-10067-02	S/B	CVD	22.5 CM/ 9 INCH
WI-10067-03	S/B	CVD	28CM/ 11 INCH





ADSON TISSUE FORCEPS TEETH Tip

WI-10069-02	1X2 TEETH	12 CM/ 4.7 INCH
WI-10069 - 03	1X2 TEETH	15 CM/ 6 INCH



ADSON-BROWN TISSUE AND GRASPING FORCEPS

ADSON DRESSING FORCEPS

TEETH


TEETH

Length

12 CM/ 4.7 INCH

15 CM/ 6 INCH

		=0g
WI-10070-02	7X7 TEETH	12 CM/ 4.7 INCH
WI-10070-03	7X7 TEETH	15 CM/ 6 INCH



	пр	Lengui
WI-10071-02	9X9 TEETH	12 CM/ 4.7 INCH
WI-10071-03	9X9 TEETH	15 CM/ 6 INCH



ADSON-BROWN TISSUE AND GRASPING FORCEPS

	rip	Length
WI-10072-02	7X7 TEETH	12 CM/ 4.7 INCH
WI-10072-03	7X7 TEETH	15 CM/ 6 INCH



ADSON-GRAEFE	FORCEPS

	Tip	Length
WI-10073-02	SERRATED	12 CM/ 4.7 INCH
WI-10073-03	SERRATED	15 CM/ 6 INCH



SERRATED

	IRIS FORCEPS CURVED	
	Тір	Length
WI-10075-02	SERRATED	11.5 CM/ 4.5 INCH
WI-10075-03	SERRATED	15 CM/ 6 INCH

Custom sizes and finishes available upon request. Minimum order quantities may apply.

NB: Images not to scale



WI-10074-03

can also customise Sizes to suit your requirements!

WI-10068-02

WI-10068-03

can also customise Sizes to suit your requirements!

Length

www.hnanavet.com

15 CM/ 6 INCH

WI-10077-06






IRIS TISSUE FORCEPS STRAIGH

	Tip	Length
WI-10076-02	1/2 TEETH	11.5 CM/ 4.5 INCH
WI-10076-03	1/2 TEETH CUSTOMIZE SIZE AVAIALLE	15 CM/ 6 INCH



STANDARD TISSUE FORCEPS, 1X2 TEETH

Article	Tip	Length
WI-10078-02	1/2 TEETH	11.5 CM/ 4.5 INCH
WI-10078-03	1/2 TEETH	13 CM/ 5.1 INCH
WI-10078-04	1/2 TEETH	14.5 CM/ 5.7 INCH
WI-10078-05	1/2 TEETH	15.5 CM/ 6.1 INCH
WI-10078-06	1/2 TEETH	17.5 CM/ 7 INCH



TC GOLD ADSON DISSECTING FORCEPS TUNGSTEN CARBIDE EMBEDDING

Article	Tip	Length	
WI-10080-02	1/2 TEETH	11.5 CM/ 4.5 INCH	
WI-10080-03	1/2 TEETH	13 CM/ 5.1 INCH	
WI-10080-04	1/2 TEETH	14.5 CM/ 5.7 INCH	
WI-10080-05	1/2 TEETH	15.5 CM/ 6.1 INCH	
WI-10080-06	1/2 TEETH	17.5 CM/ 7 INCH	



TC GOLD ADSON DISSECTING FORCEPS TUNGSTEN **CARBIDE EMBEDDING**

Article	Tip	Length
WI-10082-02	SERRATED	11.5 CM/ 4.5 INCH
WI-10082-03	SERRATED	13 CM/ 5.1 INCH
WI-10082-04	SERRATED	14.5 CM/ 5.7 INCH
WI-10082-05	SERRATED	15.5 CM/ 6.1 INCH
WI-10082-06	SERRATED	17.5 CM/ 7 INCH



TISSUE FORCEPS

Article	Tip	Length
WI-10084 - 02	1/2 TEETH	11.5 CM/ 4.5 INCH
WI-10084 - 03	1/2 TEETH	13 CM/ 5.1 INCH
WI-10084-04	1/2 TEETH	14.5 CM/ 5.7 INCH
WI-10084-05	1/2 TEETH	15.5 CM/ 6.1 INCH





17.5 CM/ 7 INCH

can also customise Sizes to suit your requirements!

SERRATED

TC GOLD ADSON DISSECTING FORCEPS TUNGSTEN **CARBIDE EMBEDDING**

Article	Tip	Length		
WI-10079-02	SERRATED	11.5 CM/ 4.5 INCH		
WI-10079-03	SERRATED	13 CM/ 5.1 INCH		
WI-10079-04	SERRATED	14.5 CM/ 5.7 INCH		
WI-10079 - 05	SERRATED	15.5 CM/ 6.1 INCH		
WI-10079-06	SERRATED	17.5 CM/ 7 INCH		



TC GOLD ADSON DISSECTING FORCEPS TUNGSTEN **CARBIDE EMBEDDING**

Article	Tip	Length
WI-10081-02	1/2 TEETH	11.5 CM/ 4.5 INCH
WI-10081-03	1/2 TEETH	13 CM/ 5.1 INCH
WI-10081-04	1/2 TEETH	14.5 CM/ 5.7 INCH
WI-10081-05	1/2 TEETH	15.5 CM/ 6.1 INCH
WI-10081-06	1/2 TEETH	17.5 CM/ 7 INCH



TREVES TISSUE FORCEPS, 1X2 TEETH

Article	Tip	Length
WI-10083-02	1/2 TEETH	11.5 CM/ 4.5 INCH
WI-10083-03	1/2 TEETH	13 CM/ 5.1 INCH
WI-10083-04	1/2 TEETH	14.5 CM/ 5.7 INCH
WI-10083-05	1/2 TEETH	15.5 CM/ 6.1 INCH
WI-10083-06	1/2 TEETH	17.5 CM/ 7 INCH



TISSUE F	ORCEPS
----------	--------

Article	Tip	Length
WI-10085-02	PLAIN	11.5 CM/ 4.5 INCH
WI-10085-03	PLAIN	13 CM/ 5.1 INCH

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

can also customise Sizes to suit your requirements!

+92-311-6194103

GENARAL SURGICAL INSTRUMENTS



14.5 CM/ 5.7 INCH 16 CM/ 6.2 INCH



GELPI VAGINAL RETRACTORS

	Article	Tip	Length
٧	VI-10086 - 02	S/S,S/B	9 CM/ 3.5 INCH
٧	VI-10086 - 03	S/S,S/B	14 CM/ 5.5 INCH
V	VI-1 0086 - 04	S/S,S/B	15.5 CM/ 6.1 INCH
٧	/I-10086 - 05	S/S,S/B	15.5 CM/ 6.1 INCH



WOUND	RETRACTOR	
Γin	Blade End	

Article	Tip	Blade End	Length
WI-10087-02	S/S,S/B	2X3 Prongs	9 CM/ 3.5 INCH
WI-10087-03	S/S,S/B	3X3 Prongs	14 CM/ 5.5 INCH
WI-10087-04	S/S,S/B	3X4 Prongs	14.5 CM/ 5.7 INCH
WI-10087-05	S/S,S/B	3X4 Prongs	15.5 CM/ 6.1 INCH




	WOUND RET	RACTOR
A	 	

Article	Tip	Blade End	Blade Size	Length
WI-10088-02	S/S	3X3 Prongs	8x7/22X7	15.5 CM/ 6.1 INCH
WI-10088-03	B/B	3X3 Prongs	8x7/22X7	15.5 CM/ 6.1 INCH




WOUND RETRACTOR

Article	Tip	Blade End	Blade Size	Length
WI-10089-02	S/S	3X3 Prongs	8x7/22X7	15.5 CM/ 6.1 INCH
WI-10089-03	B/B	3X3 Pronas	8x7/22X7	15.5 CM/ 6.1 INCH



	Tip	Blade End	Blade Size mm	Length
WI-10090-02	S/S,B/S	2 Prongs	16X9	21 CM/ 8,3 INCH
WI-10090-03	S/S,B/S	3 Prongs	16X14	21 CM/ 8,3 INCH
WI-10090-04	S/S,B/S	4 Prongs	16X20	21 CM/ 8,3 INCH
WI-10090-05	S/S,B/S	6 Prongs	16X30	21 CM/ 8,3 INCH





WI-10091-02

WI-10091-03

DIRECTOR, WINGED, 14.5 CM

Article	Length
WI-10092-02	14.5 CM/ 5.7 INCH



HANDLE NO 3

Article	Size	Length
WI-10093-02	3'	13 CM/ 5,1 INCH
WI-10093-03	3'L	20 CM/ 8,1 INCH
WI-10093-04	3'XL	23 CM/ 9 INCH



\Box	NID		NO	А
ПΜ	IND	ᇆ	IVU	4

Article	Size	Length
WI-10094-02	4'	13 CM/ 5,1 INCH
WI-10094-03	4'L	20 CM/ 8,1 INCH
WI-10094-04	4'XL	23 CM/ 9 INCH



SCALPEL W/FIXED HANDLE

Article	Length
WI-10095-02	13 CM/ 5,1 INCH
WI-10095-03	15.5 CM/ 6,1 INCH
WI-10095-04	18 CM/ 7.1 INCH
WI-10095-05	21 CM/ 8.3 INCH



FOLDING SCALPEL HANDLE

Article	Length
WI-10096-02	13 CM/ 5,1 INCH
WI-10096-03	15.5 CM/ 6,1 INCH
WI-10096-04	18 CM/ 7.1 INCH
WI-10096 - 05	21 CM/ 8.3 INCH



FOLDING SCALPEL HANDLE

Article	Length
WI-10097-02	10
WI-10097-03	15
WI-10097-04	22
WI-10097-05	23
	CUSTOMIZE SIZES ALSO AVAILABLE

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale

+92-311-6194103





BILLEAU EAR LOOPS DELICATE

	Tip size mm	Tip	Length
WI-10098-02	2	Small	16 CM/ 6,3 INCH
WI-10098-03	2	Medium	15.4 CM/ 6.1 INCH
WI-10098-04	3	Large	15.4 CM/ 6.1 INCH



BONE RONGEUR

	Jaw Size mm	Jaw	Length
WI-10100-02	4.2X35	STR	16 CM/ 6,3 INCH
WI-10100-03	4.5X30	CVD	17 CM/ 6.7 INCH
WI-10100-04	3.8X37	ANG	18 CM/ 71 INCH



BONE	RONG	EUR

	Jaw Size mm	Jaw	Length
WI-10102-02	4.2X35	STR	16 CM/ 6,3 INCH
WI-10102-03	4.5X30	CVD	17 CM/ 6.7 INCH
WI-10102-04	3.8X37	ANG	18 CM/ 71 INCH



SPINE WRENCH STANDARD

Article	Blade	Length
WI-10104-02	CVD,STR	20.3 CM/ 8 INCH
WI-10104-03	CVD,STR	24 CM/ 9.5 INCH



DIGITAL THERMOMETER

Measuring scale in Celsius or Fahrenheit (switchable) WI-10105-02






BONE RONGEUR

	Jaw Size mm	Jaw	Length
WI-10099-02	4.2X35	STR	16 CM/ 6,3 INCH
WI-10099-03	4.5X30	CVD	17 CM/ 6.7 INCH
WI-10099-04	3.8X37	ANG	18 CM/ 71 INCH



BONE CHISEL			
Article	Tip size	Blade	Length
WI-10101-02	4	CVD,STR	20.3 CM/ 8 INCH
WI-10101-03	8	CVD,STR	24 CM/ 9.5 INCH
WI-10101-04	10	CVD.STR	14.5 CM/ 5.7 INCH



POST MORTEM HAMMER STANDARD

Article	Diameter mm	Length
WI-10103-02	25	18CM/ 7.1 INCH
WI-10103-03	30	24 CM/ 9.5 INCH



(WI-3314) BOILER/ STERILIZER NON-**ELECTRICAL**&ELECTRICAL

WI-3310 INSTRUMENTS TRAYS



Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





- 1 Scalpel Handle # 4
- 2 Kelly Forceps, Straight, 16 cm 3 Kelly Forceps, Curved, 16 cm
- 1 Needle Holder Mayo Hegar 16CM
- 1 Tissue Forceps, 1×2 Teeth, 16 cm
- 1 Thumb Forceps, Serrated, 16 cm
- 4 Backhaus Clamp 13 cm
- 1 Surgical Scissors, Blunt / Sharp, Straight, 15 cm

VET SURGICAL KIT

- 1 Farabeuf Retractor (Pair)
- 10 Scalpel Blades # 24
- 1 Castration Hook

requirements!

your

can also customise Sizes to suit

1 Stainless steel Box



OBSTETRIC KIT ARTICLE NO WI 3255 **OBSTETRIC SET PRODUCTS FEATURES**

- 1 PCS saw wire for embryoto 1 PAIR saw wire handle

- 1 PAIR saw wire handle
 1 PCS Calving rope one loops
 1 PCS Calving rope to loops
 1 PCS OB Wire guide
 1 PAIR Ob chain handle
 1 PAIR Obstetric sharp eye hook
 1 PCS Jointed threader 100 cm for Thygesen
 1 PCS Obstetric hook Krey Schöttler
 1 PCS Standard stainless steel obstetric chain

- 1 PAIR Obstetric blunt eye hook

- 1 PAIR Long arm gloves 1 PCS Towel and Soap 1 Gloves Pack of 100 Pcs Complete Kit in Stainless Steel Box With Metal box

ARTICLE NO

WI 3243

VET SURGICAL KIT

VET SURGICAL KIT FEATURES

VET SURGICAL KIT FEATURES
WAHIZ Surgery kit
Plaster of Paris scissors, 18 cm
Cooper scissors B/P, 14 cm
straight scissors B/P, 16 cm
Rochester pean, straight, 14 cm
Straight scissors B/B, 18 cm
Rochester Pean, curved, 14 cm
Rochester Pean, curved, 21 cm
Rochester Pean, curved, 21 cm
anatomic forceps, 13 cm
surgical Tissue forceps, 13 cm
wound Retractors SennMiller,15cm
Hollow Probe, 14.5 cm.
Blood letting needle, 6 x 90 mm
Glasses for Blood Samples
Trocar with wooden handle
Spare cannula.
Needle holder Mathieu, 17 cm
Needle holder Mathieu 20CM
x 12 Suture Needles 3"Circle
Pack of Vinyl gloves , 100/pk
Metal Box with Tray
Scalpel No 03
Scalpel No 04

ARTICLE NO WI 3264 LARGE POSTMORTEM KIT



The complete post mortem kit contains.

1 x Dissecting forceps 8cm (serrated)

1 x Dissecting forceps 8cm (rattooth)

1 x Grooved director/probe

2 x Double ended blunt probe

2 x Small double ended retractors (2 sharp prongs)

1 x Bowel scissors 21cm

x Bone shear 21cm

x Rib shear 21cm

1 x Autopsy scalpel knife 24cm 4 x Dissecting scalpels (various shapes/sizes) 1 x Skull breaker set

1 x Spine wrench 21cm 1 x Bone mallet 20cm

1 x Bone saw + extra blade

1 x Standard scissors

1 x Measuring tape 1 x Measuring jar 100ml

Custom sizes and finishes available upon request. Minimum order quantities may apply. NB: Images not to scale





ARTICLE NOWI 3246

VET FIELD KIT

VETERINARY FIELD KIT PRODUCTS FEATURES

- Castration Plier Small Castration Plier Large
- Mouth Gage Vernals

- Mouth Gage Pernats
 Mouth Gage Butler
 Trocar and Canula Small
 Trocar and Canula Large
 Artery Forceps 14 cm
 Dressing Forceps 14 cm + 20 cm
 Scissors Straight 14 cm + Curved 14 cm
 Digital Thermometer
- Teat Dilator
- Hoof Cutter 40 cm
- Suture Needle Pack of 10
- Twitch

9

can also customise Sizes

- 1, Balplex Syringe 10 ml 2, Needles 1 1/2 , 3/4 (12 PCS)
- Automatic Dréncher 30 ml Surgical Knife Handle No. 3

- 1, Surgical Knife Handle No. 4
 1, Surgical Knife Handle No. 4
 1, Blade Pack of 10 No. 10
 1, Blade Pack of 10 No. 20
 Complete Kit in Stainless Steel Box

With Removable Tray



ARTICLE NO WI 3262

SMALL DYSTOCIA SET DYSTOCIA SET PRODUCTS FEATURES

- 1 PCS Calving rope one loops
- 1 PCS Calving rope to loops
- 1 PCS OB Wire guide
- 1 PAIR Ob chain handle
- 1 PCS Jointed threader 100 cm for Thygesen
- 1 PCS Standard stainless steel obstetric chain
- 1 PAIR Long arm gloves
- , PCS Towel and Soap
- Gloves Pack of 100 Pcs

Complete Kit in Stainless Steel Box With Foam



ARTICLE NO

WI 3244

POSTMORTEM KIT

POSTMORTEM KIT PRODUCTS FEATURES

- 1, Stainless Chopper
 1, Autopsy Knife Curved
 1, Skinning Knife Curved
 1, Boning Knife Pointed
 1, Sharpening Steel 25 cm
 Stainless Steel With Plastic Handle
 1, Bone Saw
 1, Breis Knife Stainless
- **Brain Knife Stainless**
- **Bone Scissors Stainless**
- Surgical Knife With Blade

- , Sursing Scissors 14 cm , Straight Scissors , Rochester Pean Straight , Tape Measure 2 M Complete Kit in Stainless Steel

Box With Removable Tray



ARTICLE NO WI 3260

COMPLETE DYSTOCIA SET

DYSTOCIA set Products features

- 1 PCS saw wire for embryoto
- 1 PAIR saw wire handle
- 1 PCS Calving rope one loops 1 PCS Calving rope to loops
- 1 PCS OB Wire guide
- 1 PAIR Ob chain handle
- 1 PAIR Obstetric sharp eye hook
- 1 PCS Jointed threader 100 cm for Thygesen
- 1 PCS Obstetric hook Krey Schöttler
- 1 PCS Standard stainless steel obstetric chain
- 1 PAIR Obstetric blunt eye hook
- 1 PAIR Long arm gloves
- 1, PCS Towel and Soap
- 1, Gloves Pack of 100 Pcs

Complete Kit in Stainless Steel Box With wooden box



ARTICLE NO WI 3250


SMALL SURGICAL KIT

- 1 PCS 51/2 in. thumb forceps
- 1 PCS 51/2 in. tissue forceps
- 1 PCS 53/4 in. straight/straight surgical scissors
- 1 PCS 53/4 in. blunt/blunt surgical scissors
- 1 PCS 5^{1/8} in. thumb dressing forceps
- 1 PCS #4 scalpel handle
- 1 PCS #3 scalpel handle
- 1 PCS 71/2 in. post-mortem scissors

Custom sizes and finishes available upon request. Minimum order quantities may apply.








GENARAL SURGICAL KITS







WI-3241 COMPRESE SURGICALKIT 33PCS

- 01) Stainless Steel Box 26x12x06cm (FAMI)
- (01) Scalpel Handle No. 4
- (10) Scalpel Blades (nº21)
- (01) Stainless Steel Needle Case
- (01) Pair of Retractors (children)
- (01) Anatomical Tweezers 16cm (04) Backaus Tweezers 13cm
- (02) Allis Tweezers 15cm
- (01) Foerster Straight Tweezers 18cm
- (02) Curved Mosquito Tweezers 12.5cm
- (02) Straight Mosquito Tweezers 12,5cm
- (02) Kelly Curved Tweezers 16cm (02) Kelly Straight Tweezers 16cm
- (01) Rochester Pean Straight Tweezers 15,5cm
- (01) Rochester Pean Curved Tweezers 15.5cm
- (02) Kocker Curved Tweezers 16cm
- (02) Kocker Straight Tweezers 16cm
- (01) Blunt/Thin Straight Scissors 15cm
- (01) Fine/Straight Scissors 15cm
- (01) Blunt/Fine Curved Scissors 15cm
- (01) Spencer Scissors 12cm
- (01) Metzembaum Straight Scissors 14cm
- (01) Mayo Hegar Needle Holder 15cm

(WI-3240) BANGIC265UTURE SURGICAL KIT

- (01) Mayo Hegar Needle Holder 16cm;
- (01) Rat Tooth Tweezers 16cm;
- (01) Anatomical Tweezers 16cm;
- (03) 16cm Curved Kelly Tweezers;
- (01) Blunt/Curved Blunt Scissors 17cm;
- (01) Fine/Straight Scissors 17cm;
- (01) Scalpel Handle No. 4;
- (06) Scalpel Blades No. 21;
- (06) Scalpel Blades No. 23;
- (01) S needle 08cm;
- (01) S needle 11cm;
- (01) Stainless Steel Needle Case.
- (01) Luminox Case 20x10x05cm.





OTOSCOPE / LARYNGOSCOPES





Articl No.

WI-3285





COMPLETE VET-DIAGNOSTIC SET _ Material SIZE Standard s/s,Plastic



OPHTHALMOSCOPE			<u>作</u>
	Articl No.	Size	Material
	WI-3280	Standard	s/s -Plastic
	OPHTHALMOSCOPE CHR	OME PLATED BRASS PLASTIC HEA	D WITH 2-C BATTERY HANDLE



VET MILLER CONVENTIONAL LARYNGOSCOPE **BLADES SET**

Articl No.	BLADE	Material
WI-3272	55-75-106-130-156-195-210 mm	s/s -Plastic





LARINGOSCOP MILLER

Articl No. Material WI-3291 stainless steel





can also customise Sizes to suit your requirements!

VET CONVENTIONAL OTOSCOPE

Articl No. SIZE WI-3284 s/s ,Plastc Standard VET CONVENTIONAL OTOSCOPE CHROME PLATED BRASS WITH C BATTERY HANDLE & POUCH INCLUDES 3 PLASTIC VETERINARY SPECULAS INSIDE DIAMETER



VET-OTOSCOPE KIT

Articl No. Size Material Standard WI-3270 OPHTHALMOSCOPE CHROME PLATED BRASS PLASTIC HEAD WITH 2-C BATTERY HANDLE



VET MACINTOSH CONVENTIONAL LARYNGOSCOPE BLADES SET

Articl No. Material BLADE WI-3273 55-70-85-95-115-135-155mm s/s -Plastic

Custom sizes and finishes available upon request. Minimum order quantities may apply.

NB: Images not to scale



PRODUCTION VIEWS





PRODUCTION VIEWS





PRODUCTION VIEWS



